

Bull Evaluation Centre Report

201321 WEST WIND BLONDES

(End of Test) Test Date: 07 Mar 2013 Days on Test: 112

Centre Manager: M. FLESCH AND S. BILTON Start of Test Date: 15 Nov 2012

Phone #: 403-549-2371 End of Test Date: 07 Mar 2013

EMail: westwind@telusplanet.net Pick Up Date:

Address: P. O. BOX 334, STAVELY, AB, T0L 1Z0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

All registered fullbloods Homozygous polled - NOR9Z, SMB3Z, SMB225Z and SMB341Z

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added
information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to
calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
 market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
 for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

% IMF & Adj%IMF - Percent Intramus cular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (s quare inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

% IMF - Intramus cular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201321 WEST WIND BLONDES



				Genetic	Evalu	atior	าร (15	Mar 20)13)											•		
Tag 000	03 Pe	n	Tattoo	SMB 3Z			CE	BW	WG		Milk	PWG	Y	′G	FAT	-	REA	%IMF	S	С	BIO\$	
Contact SHIRLEY M. BILTON - WEST WIND BLONDES HC/Breed P BLONDE D-AQUITAINE 403-549-2371 Birthdate 20Jan2012 Colour Blonde SireSire WEST WINDS RAINIER 11R					%ab ABC A %wb	.cc	35 0 PE 66	33 . 5 61 45	88 49 95	52	62 23 25 78	2 0 52 15	18 49 70	52	1 -1.12 57	54	57 . 17 49 13	1 37 4 12	9 7	8 62	6 1271 22	
Sire Sire Dam DamSire	WEST WIN	INDS KAIN IDS WORK IDS TIFFAN DIS ROBER	MAN 9 NY 03T		CE M	BW 90	768	WI 106	SOT 1015	EO1	Γ ADG 0 2.72	WPDA 3.20	НН	Frame	e Fat	15.0		%lmf 2.91	Adj%lmf 2.58	Grade A	SC 34.0	AdjSC 32.3
	_		Tattoo	NOR 9Z			CE	BW	WG		Milk	PWG	Y	′G	FAT	-	REA	%IMF	: S	С	BIO\$	
Tag 0009 Pen Tattoo Contact MYRNA FLESCH - WEST WIND BLONDES HC/Breed P BLONDE D-AQUITAINE Birthdate 15Feb2012 Colour BLONDE SireSire WEST WINDS SANTIAGO 1S				403-549-2371	%ab ABC A %wb	.cc	58 2 34 90	54 - 1.2 59	50 38 75	50	85 28 19 90	8 11 50 55	17	7 3 50	1 -1.10 62		55 . 14 41 12	10 22 4	1	5 5 60	12 1757 39	
Sire Sire Dam DamSire	WEST WIN	INDS SANI IDS WILLIE IDS XTASY INDS RAIN	: 3W ′ 94X		CE	BW 81	734	WI 108	SOT 935	EO1	Γ ADG 0 3.49	WPDA 3.45	НН	Frame	e Fat	14.8		3.50	Adj%lmf 3.31	Grade A-AA		AdjSC 33.7
Tag 00			Tattoo	SMB 12Z			CE	BW	WG		Milk	PWG	Y	′G	FAT	-	REA	%IMF	: S	С	BIO\$	
Contact SHIRLEY M. BILTON - WEST WIND BLONDES					%ab ABC A %wb	.cc	29 -1 36	38 . 0 60	88 49 95	51	94 32 31 96	15 17 52 82	46 65 93	5 52	1 -1.02 78	52	77 .38 47	2 32 4	7 -2.0	1 9 64	24 2273 67	
SireSire Sire Dam DamSire	WEST WIN	ORCHARI IDS SANTI IERCEDES ER SPECIAI	12M		CE U	BW 87	AWW 803	WI 118	SOT 1135	EO1	Γ ADG 0 3.24	WPDA 3.74	НН	Frame	e Fat	REA 16.4		%Imf 2.78	Adj%lmf	Grade PD-A		AdjSC
Tag 01	52 Pe	n	Tattoo	SMB 152Z			CE	BW	WG		Milk	PWG	Y	′G	FAT	-	REA	%IMF	: S	С	BIO\$	
HC/Breed Birthdate	P BLON 18Feb2012	DE D-AQUI	Colour BLONDE	6 403-549-2371	%ab ABC A %wb	cc	65 2 37 93	61 -1.7 62 86	96 56 99	50	72 25 28 84	18 18 51 87	65 74 97	1 51	1 -1.11 61	51	70 . 31 45 27	2 31 4		8 1 63 2	30 2464 75	
SireSire Sire Dam DamSire	WEST WIN	INDS RAIN IDS WORK KNOCK-OU STWOOD 2	MAN 9 IT 152		CE	BW 91	AWW 771	WI 114	SOT 960	EO1		WPDA 3.55	НН	Frame	e Fat	REA 15.3		%lmf 2.96	Adj%lmf 2.82	Grade A	SC 33.0	AdjSC 32.3
Tag 022				SMB 225Z			CE	BW	WG		Milk	PWG	Y	′G	FAT	-	REA	%IMF	: 8	С	BIO\$	
Contact HC/Breed Birthdate	SHIRLEY I P BLON 29Jan2012	M. BILTON DE D-AQUI 2	- WEST WIND BLONDES TAINE Colour Light Blonde		%ab ABC A %wb	.cc	90 5 34 99	91 -4.8 59 99	48 37 73	49	72 25 19 83	2 1 49 17	8	3 3 49	2 89 95		60 . 20 41 16	2 32 4 28		4 0 60	11 1688 36	
SireSire Sire Dam	WEST WIN	INDS SANT IDS WILLIE IDS XOCAF	: 3W		CE	BW	AWW	WI	SOT	EOT			НН	Frame					Adj%lmf	Grade	_	AdjSC
	WEST WI				U	65	700	103	915	125	0 2.96	3.10			4	15.4	14.3	2.82	2.55	PD-A	31.5	30.1

16Mar2013 Page: 4 of 6

Bull Evaluation EOT Report

201321 WEST WIND BLONDES



Genetic Evaluations (15 Mar 2013)

				Genetic	Evail	ıatıoı	าร (15	Mar 20)13)											,		
Tag 022	7	Pen	Tattoo	SMB 227Z			CE	BW	WG		Milk	PWG	Y	'G	FAT	Г	REA	%IMF	S	С	BIO\$	
Contact	MYRN.	A FLESCH - V	VEST WIND BLONDES		%ab		25	41	93		92	38	73	3	1		86	4	3	7	47	
HC/Breed	P BL	ONDE D-AQU		403-549-2371	ABC	Acc	-1 34	2 59	52	19	31 24	26 51	78	3 50 -	1.16	54	.50 49	29 4	9 .30	0 63	2950	
Birthdate 2			Colour Blonde		%wb		48	61	97		96	98	98	3	49		64	55	99	9	92	
SireSire		T WINDS RAI																			00	4 1:00
	_	WINDS WOR	-		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%Imf	Grade	SC	AdjSC
Dam \\ DamSire		WINDS SACH			U	90	772	114	1130	1560	3.82	3.84			3	17.0	15.7	3.18	2.86	Α	38.0	36.5
Danione	WES	I WINDS DK	PEFFER 13F																			
Tag 024	1	Pen	Tattoo	SMB 241Z			CE	BW	WG		Milk	PWG	Y	'G	FAT		REA	%IMF	S	С	BIO\$	
Contact			N - WEST WIND BLOND	DES	%ab		60	60	83		88	11	35	5	1		76	4		2	25	
HC/Breed		ONDE D-AQU		403-549-2371	ABC	Acc	2 36	-1.6 61	47	52	29 27	14 52	60	52 -	-1.12	51	.38 46	29 4	6 -1.50	0 64	2303	
Birthdate		-	Colour Blonde		%wb		90	85	92		93	69	89	9	55		43	50	17	7	68	
SireSire	_	T WINDS RAII WINDS WOR			05	DIA	41404	100	SOT	FOT	400	MDDA		Frame	F /	DEA	A UDEA	0/1 (A 1'0/1 f	0 1	SC	AdjSC
		WINDS WOR			CE	BW	AWW			EOT			нн	Frame	Fat	REA	AdjREA	111	.,	Grade		-
DamSire		T WINDS HER	-		U	97	747	103	1050	1400	3.19	3.33			3	15.9	14.4	3.15	2.74	Α	31.5	29.5
Tag 034	•	Pen	Tattoo	SMB 341Z		_	CE	BW	WG		Milk	PWG	Y	'G	FAT		REA	%IMF	S	С	BIO\$	
			N - WEST WIND BLOND		%ab		23	21	56		88	14	26	6	1		74	6		6	17	
HC/Breed		ONDE D-AQU		403-549-2371	ABC	Acc	-2 35	1.6 59	39	50	29 28	16 52	55	51 -	-1.05	53	.35 48	26 4	8 -1.1 0	0 63	1975	
Birthdate 2		-	Colour Blonde		%wb		42	23	79		92	79	81		72		38	72	30	6	48	
SireSire Sire		WINDS SANT	RD N UGGET 29N		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	шш	Frame	Ent	REA	AdiREA	0/ Imf	Adj%lmf	Grade	sc	AdjSC
		WINDS SANT											пп	Fiame					,			-
DamSire	_	T WINDS RAI	-		U	98	742	109	1045	1410	3.27	3.46			3	16.6	15.3	3.35	3.00	Α	33.0	31.5
			<u> </u>																			
Tag 041	6	Pen	Tattoo	SMB 416Z		_	CE	BW	WG		Milk	PWG	Y	'G	FAT		REA	%IMF	S	С	BIO\$	
	-	_	N - WEST WIND BLOND	-	%ab		44	37	95		90	7	44	1	1		78	5		7	22	
HC/Breed		ONDE D-AQU		403-549-2371	ABC		1 36	.1 60	55	51	30 27	10 52	65	52 -	-1.15	53	.39 47	27 4	79	7 65	2199	
Birthdate			Colour LIGHT BLOND)E	%wb		77	55	98		94	52	92	2	49		45	65	4	7	59	
SireSire Sire	_	T WINDS RAII WINDS WOR			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	шш	Frame	Eat	DE A	AdjREA	% Imf	Adi%Imf	Grade	sc	AdiSC
		WINDS WOR									-		пп	riame					•			
DamSire		T WINDS HER			U	94	784	116	985	1310	2.89	3.46			2	15.7	15.3	3.05	2.94	Α	32.5	32.0
-			-																			

201321 WEST WIND BLONDES



Genetic Evaluations (15 Mar 2013)

Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
BLONDE D-AQUITAINE	9	89	88	758	1019		1193	1287	1382	3.23	3.46			3	15.8	14.8	3.08	2.81	33.1
Group Averages	9	89	88	758	1019		1193	1287	1382	3.23	3.46			3	15.8	14.8	3.08	2.81	33.1

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedignee used in calculations is provided by the client. The information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidence only to beef producers. The purchaser and/or user in relation to such services.

This clause shall be a complete defense to any dainy be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any dainy brought by the purchaser and/or user in relation to such services.

16Mar2013 Page: 6 of 6