



bio
660 Speedvale Ave. West,
Suite #205, Guelph ON, N1K 1E5

p: 855.246.2333
f: 519.767.2502
www.biotrack.ca

Bull Evaluation Centre Report

201332 Bar 5 Stock Farms #2

(End of Test)

Test Date: **08 Feb 2013** Days on Test:**115**

Centre Manager: **ANDREAS BUSCHBECK**

Start of Test Date: **16 Oct 2012**

Phone #: **519-986-1330**

End of Test Date: **08 Feb 2013**

E Mail: **bar5admin@xplornet.com**

Pick Up Date:

Address: **636077 HOL-EUP TW,R.R. #3 , MARKDALE , ON , N0C 1H0**

Ration Statement:

- Note:**
- 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.**
 - 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.**
 - 3. If you have questions on data submission, please contact our office.**

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- ♦ Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- ♦ Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
 - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
 - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
 - Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.
- ♦ Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- ♦ Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ♦ ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- ♦ Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- ♦ BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ♦ ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (lbs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (lbs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (lbs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201332 Bar 5 Stock Farms #2



Genetic Evaluations (12 Feb 2013)

Tag	0035	Pen	2	Tattoo	WLFJ 35Z
Contact	JACQUES LALONDE - WHITE LAKE FARM				
HC/Breed	SIMMENTAL	613-623-1001			
Birthdate	18Mar2012	Colour			
SireSire	KYKSO KALGER				
Sire	WLSF ABRAHAM				
Dam	WHITE LAKE RANDI				
DamSire					

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab					23		10	62	34	56	
ABC Acc					21 ³⁹		-.59 ⁴³	.23 ³⁷	-.06 ³⁷	.71 ⁵⁸	N/R
%wb					11		13	34	59	20	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
		89	N/A		726	1015	2.54	3.10	48.8	5.4	2	12.7	13.7	2.14	2.39	PD-A	32.5	33.9

Tag	0039	Pen	2	Tattoo	WLFJ 39Z
Contact	JACQUES LALONDE - WHITE LAKE FARM				
HC/Breed	SIMMENTAL	613-623-1001			
Birthdate	05Mar2012	Colour			
SireSire	FSS GUTTEN TAG				
Sire	JNR GRAVITY				
Dam	DREAMLAND CHIMERA FF 7S				
DamSire	DREAMLAND CASANOVA				

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab		14	89		47	74	7	77	53	74	
ABC Acc		2.7 PE	50 PE		29 ⁴¹	79 PE	-.67 ⁴⁵	.39 ⁴⁰	.04 ⁴⁰	1.07 ⁵⁹	N/R
%wb		35	70		39	56	8	60	88	41	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
		93	N/A		723	1040	2.78	3.06	49.0	5.3	2	13.5	14.2	2.69	2.89	PD-A	34.0	34.9

Tag	003z	Pen	2	Tattoo	JMLG 3Z
Contact	RON NOLAN - BAR 5 STOCK FARMS				
HC/Breed	SIMMENTAL	519-986-1330			
Birthdate		Colour			
SireSire					
Sire					
Dam					
DamSire					

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab							54	96	40	99	
ABC Acc							.11 ⁴³	.73 ³⁷	-.03 ³⁷	3.09 ⁵⁸	N/R
%wb							90	95	70	99	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
		N/A	N/A			1040			49.0		4	14.1		2.19		PD-A	38.5	42.0

Tag	0214	Pen	2	Tattoo	IFZ 214Z
Contact	AGRO ZURITA				
HC/Breed	H SIMMENTAL	519-986-1330			
Birthdate	11Mar2012	Colour			
SireSire	BAR 5 SA MR OPTIMAL 447L				
Sire	BHR SA HAXOLD 690P				
Dam	BAR 5 SA PROUD 426R				
DamSire	NEELSMA HARRIS				

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	15	8	71	73	23	42	35	83	34	99	
ABC Acc	-3 PE	3.7 PE	43 PE	25 PE	21 ⁴⁹	64 PE	-.25 ⁵⁴	.46 ⁴⁹	-.06 ⁴⁹	2.57 ⁶²	N/R
%wb	34	22	40	31	11	20	57	72	59	98	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
		120	N/A		798	1070	2.39	3.20	50.5	6.2	4	13.4	14.2	2.36	2.58	PD-A	38.0	39.1

Tag	0217	Pen	2	Tattoo	IFZ 217Z
Contact	AGRO ZURITA				
HC/Breed	H SIMMENTAL	519-986-1330			
Birthdate	19Mar2012	Colour			
SireSire	LATCO GOLD II				
Sire	BAR 5 SA JOE 412P				
Dam	BHR SERENA SA 150N				
DamSire	KYKSO HADAU				

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	18	17	51	25	65	60	56	75	20	92	
ABC Acc	-2 PE	2.1 PE	38 PE	16 PE	34 ⁴⁷	72 PE	.15 ⁵¹	.37 ⁴⁶	-.14 ⁴⁶	1.62 ⁶²	N/R
%wb	40	43	20	2	61	39	92	57	29	77	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
		95	N/A		686	1045	3.05	3.21	51.0	6.5	5	12.9	13.9	1.96	2.19	PD-A	36.0	37.4

Bull Evaluation EOT Report

201332 Bar 5 Stock Farms #2



Genetic Evaluations (12 Feb 2013)

Tag **0218** Pen **2** Tattoo **IFZ 218Z**
 Contact **AGRO ZURITA**
 HC/Breed **H SIMMENTAL**
 Birthdate **23Mar2012** Colour
 SireSire **LATCO GOLD II**
 Sire **BAR 5 SA JOE 412P**
 Dam **BAR 5 SA SUSI-Q 805P**
 DamSire **BAR 5 SA BENZ 415L**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	28	20	38	77	8	14	43	54	23	28	N/R
ABC Acc	-1 PE	1.7 PE	35 PE	26 PE	11 ⁵¹	46 PE	-1.14 ⁵⁶	.13 ⁵¹	-1.12 ⁵¹	.07 ⁶³	
%wb	58	49	12	38	1	2	70	21	37	4	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	95	N/A		595	830	2.02	2.58	49.5	5.8	4	11.3	12.2	2.26	2.56	PD-A	30.0	31.6

Tag **0220** Pen **2** Tattoo **CO 220Z**
 Contact **RON NOLAN - BAR 5 STOCK FARMS**
 HC/Breed **H SIMMENTAL** **519-986-1330**
 Birthdate **25Mar2012** Colour
 SireSire **SALERIKA EVAN**
 Sire **BAR 5 SA PFIDELITY 424R**
 Dam **SANMAR SA KALAHARI 80R**
 DamSire **BAR 5 SA BENZ 415L**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	64	68	98	91	46	86	46	48	11	18	45
ABC Acc	2 PE	-2.3 ⁵⁵	59 ⁴⁶	30 ²⁶	29 ⁵¹	87 ⁴⁹	-0.07 ⁵⁵	.06 ⁵⁰	-0.21 ⁵⁰	-0.28 ⁶⁴	2918
%wb	93	95	92	68	38	75	76	13	13	1	43

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	93	715		684	1045	3.03	3.27	50.0	6.1	4	12.4	13.5	1.92	2.19	PD-A	29.0	30.6

Tag **0221** Pen **2** Tattoo **IFZ 221Z**
 Contact **AGRO ZURITA**
 HC/Breed **H SIMMENTAL**
 Birthdate **03Apr2012** Colour
 SireSire **NEELSMA HORRIS**
 Sire **BAR 5 SA PRAFEKT 450P**
 Dam **BHR KATHARINA M339E**
 DamSire **ERICO PRIMAL**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	19	23	87	65	79	86	43	42	31	32	N/R
ABC Acc	-2 PE	1.4 PE	49 PE	23 PE	39 ⁴⁸	87 PE	-1.13 ⁵²	-0.01 ⁴⁷	-0.08 ⁴⁷	.17 ⁶³	
%wb	43	54	65	22	78	75	70	10	52	5	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	95	N/A		598	956	3.09	3.07	50.0	6.3	4	11.1	12.3	1.98	2.32	PD-A	30.0	32.0

Tag **0224** Pen **2** Tattoo **IFZ 224Z**
 Contact **AGRO ZURITA**
 HC/Breed **H SIMMENTAL**
 Birthdate **13Apr2012** Colour
 SireSire **BAR 5 SA MR OPTIMAL 447L**
 Sire **BHR SA HAXOLD 690P**
 Dam **BAR 5 SA EMOTION 421N**
 DamSire **KYKSO HAPED**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	12	9	87	85	20	52	40	95	20	80	N/R
ABC Acc	-3 PE	3.4 PE	49 PE	28 PE	20 ⁵⁰	68 PE	-1.17 ⁵⁵	.68 ⁵⁰	-1.14 ⁵⁰	1.23 ⁶³	
%wb	29	25	65	52	9	29	67	93	29	53	

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	110	N/A		700	930	1.91	3.09	49.0	5.9	3	13.5	15.4	1.99	2.41	PD-A	33.0	35.3

Tag **0412** Pen **2** Tattoo **CO 412Z**
 Contact **RON NOLAN - BAR 5 STOCK FARMS**
 HC/Breed **H SIMMENTAL** **519-986-1330**
 Birthdate **28Mar2012** Colour
 SireSire
 Sire **KING ARTHUR 50C**
 Dam **EVS 93H**
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	33	19	98	96	70	94	14	31	38	53	31
ABC Acc	0 PE	1.9 ⁵⁰	61 ⁴¹	34 ²³	36 ⁴⁵	97 ⁴³	-0.52 ⁴⁵	-1.14 ³⁷	-0.05 ³⁷	.64 ⁶⁰	2500
%wb	66	46	95	85	68	88	20	4	65	17	27

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	95	759		614	940	2.68	2.97	49.5	5.9	2	10.2	11.1	2.57	2.96	PD-A	32.5	34.3

Bull Evaluation EOT Report

201332 Bar 5 Stock Farms #2



Genetic Evaluations (12 Feb 2013)

Tag 1221 Pen **2** Tattoo **CO 1221Z**
 Contact **RON NOLAN - BAR 5 STOCK FARMS**
 HC/Breed **H SIMMENTAL** **519-986-1330**
 Birthdate **03Mar2012** Colour
 SireSire **ABR SIR ARNOLD'S IMAGE 809T**
 Sire **SANMAR POLLED PHARAO 12P**
 Dam **BAR 5 SA MAGNOLIA 414N**
 DamSire **KYKSO HAPED**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
%ab	8	8	46	71	28	34	16	43	7	71	10						
ABC Acc	-4 PE	3.6 60	37 49	25 31	23 52	60 51	-50 55	.01 51	-25 51	1.02 64	1635						
%wb	19	23	17	30	16	13	23	10	6	37	6						
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	110	604		670	1060	3.37	3.10	52.0	6.8	4	13.2	13.8	1.71	1.82	PD	34.0	34.8

Tag 9224 Pen **2** Tattoo **ACFB 9224Z**
 Contact **ANDREAS BUSCHBECK**
 HC/Breed **P SIMMENTAL** **519-986-1330**
 Birthdate **12Mar2012** Colour
 SireSire **GIBBY'S NICHOLAS 302N**
 Sire **GIBBYS ULTIMATE 29S**
 Dam **PONDSIDE SALLY**
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
%ab	12	9	97	54	65	90	29	81	15	44	52						
ABC Acc	-3 PE	3.4 49	57 39	21 9	34 44	91 42	-32 46	.44 40	-18 40	.48 60	3094						
%wb	28	26	90	14	61	82	46	68	19	10	52						
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	90	614		668	1030	3.16	3.09	48.0	4.9	4	13.8	14.7	2.12	2.32	PD-A	32.0	33.2

Tag 9238 Pen **2** Tattoo **ACFB 9238Z**
 Contact **ANDREAS BUSCHBECK**
 HC/Breed **H SIMMENTAL** **519-986-1330**
 Birthdate **18Apr2012** Colour
 SireSire **KYKSO MIJU 9820H**
 Sire **BAR 5 SA MALO 419T**
 Dam **FGAF NIGHTINGALE 403T**
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
%ab	71	66	51	90	52	53	26	72	15	23	53						
ABC Acc	3 PE	-2.1 58	38 48	30 20	31 52	69 50	-36 53	.34 49	-17 49	-.09 64	3097						
%wb	95	95	20	66	46	30	42	51	19	2	52						
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	80	606		530	840	2.57	2.84	47.0	5.0	4	11.6	13.3	1.95	2.40	PD-A	29.0	31.5



Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
SIMMENTAL	13		97	660	666	764	804	911	988	2.72	3.05	49.5	5.9	4	12.6	13.5	2.14	2.42	33.0
Group Averages	13		97	660	666	764	804	911	988	2.72	3.05	49.5	5.9	4	12.6	13.5	2.14	2.42	33.0

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.