



bio
660 Speedvale Ave. West,
Suite #205, Guelph ON, N1K 1E5

p: 855.246.2333
f: 519.767.2502
www.biotrack.ca

Heifer Development Centre Report

201373 PRO CATTLE CO

(End of Test)

Test Date: **25 Feb 2013** Days on Test:**113**

Centre Manager: **BRIAN PELLEBOER**

Start of Test Date: **04 Nov 2012**

Phone #: **519-845-0340**

End of Test Date: **25 Feb 2013**

E Mail: **brianpelleboer@gmail.com**

Pick Up Date:

Address: **R.R.#1,3173 CONFEDERATION LINE , WYOMING , ON , N0N 1T0**

Ration Statement:

- Note:**
- 1. Check the information on your HEIFER(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.**
 - 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to our Herd Evaluation Service or bioTrack. If no data is submitted to BIO, then the calves in the heifer evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates.**
 - 3. Give the office a call for worksheets or instructions on using bioTrack (on-line entry) to submit your herd data.**

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- ♦ Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- ♦ Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
 - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
 - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
 - Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.
- ♦ Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- ♦ Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ♦ ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- ♦ Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- ♦ BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ♦ ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

| Trait | CE | BW | WG | MILK | PWG | YG | FAT | REA | %IMF | SC | BIO\$ |
|-------|----|----|-----|------|-----|-----|-----|-----|------|----|-------|
| Base | 0 | 0 | +30 | +15 | +20 | +50 | 0 | 0 | 0 | 0 | +2000 |

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (lbs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (lbs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (lbs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Heifer Development EOT Report

201373 PRO CATTLE CO



Genetic Evaluations (07 Aug 2013)

Tag **0205** Pen Tattoo **PRO 205Y**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **SIMMENTAL** **519-652-8702**
 Birthdate **12Dec2011** Colour
 SireSire **HRC FIRE POWER 42NC**
 Sire **MARYWOOD71P FIREPOWER 44U**
 Dam **LCC BLACK BALDY K7078**
 DamSire **LCHMAN LUCKY BUCK 7049C**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|-------|--------|-------|-------|-------|-------|--------|--------|--------|
| %ab | 24 | 17 | 72 | 88 | 94 | 90 | 57 | 82 | 60 |
| ABC Acc | -1 32 | 2.1 55 | 43 47 | 29 27 | 47 51 | 90 49 | .18 54 | .44 49 | .12 49 |
| %wb | 52 | 43 | 41 | 59 | 93 | 80 | 94 | 71 | 96 |

| BIOS\$ |
|-------------|
| 79 |
| 3870 |
| 81 |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|------|------|------|-------|-----|------|--------|------|---------|--------|
| U | 91 | 687 | 103 | 940 | 1130 | 1.68 | 2.56 | 54.0 | 7.9 | 11 | 13.3 | 11.8 | 4.89 | 4.05 | AA-AAA |

Tag **0206** Pen Tattoo **PRO 206Y**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **SIMMENTAL** **519-652-8702**
 Birthdate **22Dec2011** Colour
 SireSire **HRC FIRE POWER 42NC**
 Sire **MARYWOOD71P FIREPOWER 44U**
 Dam **PRO 720T**
 DamSire **KENCO/MF POWERLINE 204L**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|-------|-------|-------|-------|--------|---------|--------|---------|
| %ab | 44 | 36 | 84 | 81 | 99 | 98 | 38 | 90 | 29 |
| ABC Acc | 0 34 | .3 59 | 47 49 | 27 25 | 59 51 | 106 50 | -.20 55 | .57 50 | -.09 50 |
| %wb | 79 | 76 | 58 | 44 | 99 | 95 | 62 | 86 | 50 |

| BIOS\$ |
|-------------|
| 91 |
| 4455 |
| 94 |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|----|-----|------|------|------|------|-------|-----|------|--------|------|---------|-------|
| U | 80 | 664 | 99 | 845 | 1100 | 2.26 | 2.55 | 51.5 | 6.7 | 7 | 13.6 | 12.2 | 3.21 | 2.72 | A |

Tag **0209** Pen Tattoo **PRO 209Y**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **SIMMENTAL / CROSS** **519-652-8702**
 Birthdate **25Dec2011** Colour
 SireSire **HRC FIRE POWER 42NC**
 Sire **MARYWOOD71P FIREPOWER 44U**
 Dam **GOLD 787G**
 DamSire **JHL 5860D**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|-------|--------|-------|-------|-------|-------|--------|---------|--------|
| %ab | 8 | 9 | 23 | 29 | 94 | 72 | 56 | 39 | 53 |
| ABC Acc | -4 35 | 3.4 60 | 31 50 | 17 27 | 47 50 | 78 50 | .14 52 | -.05 47 | .04 47 |
| %wb | | | | | | | | | |

| BIOS\$ |
|-------------|
| 34 |
| 2575 |
| |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|----|-----|------|------|------|------|-------|-----|------|--------|------|---------|-------|
| U | 92 | 616 | 92 | 825 | 1040 | 1.90 | 2.43 | 51.0 | 6.5 | 6 | 11.1 | 10.1 | 3.31 | 2.82 | A |

Tag **0213** Pen Tattoo **PRO 213Y**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **ANGUS / CROSS** **519-652-8702**
 Birthdate **26Dec2011** Colour
 SireSire **B C LOOKOUT 7024**
 Sire **TAMBRI UPSCALE 2U**
 Dam **KISELE**
 DamSire **SRS FORTUNE 500**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|---------|-------|-------|-------|-------|--------|---------|--------|
| %ab | 72 | 65 | 67 | 92 | 59 | 65 | 64 | 38 | 65 |
| ABC Acc | 3 30 | -2.0 58 | 42 47 | 31 26 | 33 50 | 74 49 | .47 53 | -.07 48 | .22 48 |
| %wb | | | | | | | | | |

| BIOS\$ |
|-------------|
| 48 |
| 2968 |
| |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|-----|------|------|-------|-----|------|--------|------|---------|-------|
| U | 84 | 694 | 104 | 900 | 1010 | .97 | 2.37 | 51.0 | 6.5 | 6 | 11.0 | 10.1 | 3.44 | 2.94 | A |

Tag **0222** Pen Tattoo **PRO 222Z**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **3/4 RED ANGUS** **519-652-8702**
 Birthdate **03Jan2012** Colour **Red**
 SireSire **RED RAVENNA 5N**
 Sire **BEEF 716T**
 Dam **PRO 901W**
 DamSire **RED RAVENNA RICH AND FAMOUS**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|--------|-------|-------|-------|--------|--------|---------|--------|
| %ab | 45 | 50 | 94 | 96 | 99 | 99 | 61 | 41 | 60 |
| ABC Acc | 1 30 | -.9 58 | 54 47 | 34 20 | 73 48 | 126 48 | .34 50 | -.03 45 | .11 45 |
| %wb | | | | | | | | | |

| BIOS\$ |
|-------------|
| 91 |
| 4428 |
| |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|------|------|------|-------|-----|------|--------|------|---------|-------|
| U | 90 | 764 | 114 | 930 | 1190 | 2.30 | 2.84 | 52.5 | 7.3 | 7 | 11.6 | 10.7 | 3.53 | 3.08 | A-AA |

Heifer Development EOT Report

201373 PRO CATTLE CO



Genetic Evaluations (07 Aug 2013)

Tag **0224** Pen Tattoo **PRO 224Z**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **RED ANGUS / CROSS** 519-652-8702
 Birthdate **07Jan2012** Colour
 SireSire **GOLD KRISPY KRUNCH 117K**
 Sire **PRO 577R**
 Dam **PRO 541R**
 DamSire

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|---------|-------|-------|-------|-------|--------|--------|--------|
| %ab | 89 | 88 | 73 | 93 | 94 | 90 | 67 | 44 | 58 |
| ABC Acc | 5 24 | -4.3 50 | 43 42 | 32 20 | 48 46 | 91 44 | .59 49 | .01 43 | .09 43 |
| %wb | | | | | | | | | |

| BIO\$ |
|-------------|
| 78 |
| 3823 |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|------|------|------|-------|-----|------|--------|------|---------|-------|
| U | 85 | 707 | 106 | 805 | 1050 | 2.17 | 2.53 | 51.5 | 6.8 | 9 | 11.8 | 10.9 | 4.12 | 3.62 | AA |

Tag **0227** Pen Tattoo **PRO 227Z**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **CROSSBRED** 519-652-8702
 Birthdate **13Jan2012** Colour
 SireSire **GOLD KRISPY KRUNCH 117K**
 Sire **PRO 577R**
 Dam **PRO 524R**
 DamSire **GOLD KRISPY KRUNCH 117K**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|---------|-------|-------|-------|-------|--------|---------|--------|
| %ab | 89 | 91 | 78 | 72 | 76 | 80 | 66 | 41 | 54 |
| ABC Acc | 5 29 | -4.8 58 | 45 48 | 25 23 | 38 48 | 83 48 | .56 49 | -.04 43 | .05 43 |
| %wb | | | | | | | | | |

| BIO\$ |
|-------------|
| 63 |
| 3350 |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|------|------|------|-------|-----|------|--------|------|---------|-------|
| U | 82 | 694 | 100 | 835 | 1005 | 1.50 | 2.46 | 49.5 | 5.9 | 9 | 10.7 | 10.0 | 3.90 | 3.48 | A-AA |

Tag **0231** Pen Tattoo **PRO 231Z**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **CROSSBRED** 519-652-8702
 Birthdate **19Jan2012** Colour
 SireSire **GOLD KRISPY KRUNCH 117K**
 Sire **PRO 577R**
 Dam **PRO 603S**
 DamSire **PRO BLACK DIAMOND 328N**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|---------|-------|-------|-------|--------|--------|--------|--------|
| %ab | 72 | 74 | 93 | 89 | 96 | 97 | 80 | 67 | 59 |
| ABC Acc | 3 29 | -2.7 57 | 52 48 | 30 22 | 50 49 | 102 49 | .99 52 | .27 46 | .10 46 |
| %wb | | | | | | | | | |

| BIO\$ |
|-------------|
| 91 |
| 4401 |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|------|------|------|-------|-----|------|--------|------|---------|-------|
| U | 86 | 732 | 106 | 900 | 1115 | 1.90 | 2.77 | 53.0 | 7.7 | 9 | 12.5 | 11.8 | 3.63 | 3.29 | A-AA |

Tag **0237** Pen Tattoo **PRO 237Z**
 Contact **JACK AND JANET MCCOUBREY - PROBULL STOCK FARM**
 HC/Breed **3/4 RED ANGUS** 519-652-8702
 Birthdate **30Jan2012** Colour
 SireSire **RED RAVENNA 5N**
 Sire **BEEF 716T**
 Dam **GOLD 048K**
 DamSire **B/R NEW DESIGN 036**

| | CE | BW | WG | Milk | PWG | YG | FAT | REA | %IMF |
|---------|------|---------|-------|-------|-------|--------|--------|--------|--------|
| %ab | 61 | 58 | 84 | 96 | 99 | 99 | 58 | 58 | 85 |
| ABC Acc | 2 32 | -1.5 60 | 47 50 | 34 28 | 71 52 | 118 51 | .24 53 | .17 49 | .50 49 |
| %wb | | | | | | | | | |

| BIO\$ |
|-------------|
| 96 |
| 4977 |

| CE | BW | AWW | WI | SOT | EOT | ADG | WPDA | HH | Frame | Fat | REA | AdjREA | %Imf | Adj%Imf | Grade |
|----|----|-----|-----|-----|------|------|------|------|-------|-----|------|--------|------|---------|--------|
| U | 90 | 702 | 102 | 845 | 1115 | 2.39 | 2.84 | 52.0 | 7.3 | 5 | 11.6 | 11.1 | 5.07 | 4.72 | AA-AAA |



Breed Summary Averages

| Breed | # | % U | BWT | AWW | SOT | 28D | 56D | 84D | EOT | ADG | WPDA | Hip Height | Frame Score | Back Fat | REA | Adj REA | %IMF | Adj %IMF | Scrotal |
|----------------|---|-----|-----|-----|-----|-----|-----|-----|------|------|------|------------|-------------|----------|------|---------|------|----------|---------|
| RED ANGUS | 2 | 100 | 90 | 733 | 888 | | | | 1153 | 2.34 | 2.84 | 52.3 | 7.3 | 6 | 11.6 | 10.9 | 4.30 | 3.90 | |
| SIMMENTAL | 2 | 100 | 86 | 676 | 893 | | | | 1115 | 1.97 | 2.55 | 52.8 | 7.3 | 9 | 13.4 | 12.0 | 4.05 | 3.38 | |
| CROSSBRED | 5 | 100 | 86 | 689 | 853 | | | | 1044 | 1.69 | 2.51 | 51.2 | 6.7 | 8 | 11.4 | 10.6 | 3.68 | 3.23 | |
| Group Averages | 9 | 100 | 87 | 696 | 869 | | | | 1084 | 1.90 | 2.59 | 51.8 | 7.0 | 8 | 11.9 | 11.0 | 3.90 | 3.41 | |

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.