

Bull Evaluation Centre Report

201410 Jean Mercier Farm (End of Test) Test Date: 17 Feb 2014 Days on Test: 140

Centre Manager: JEAN MERCIER Start of Test Date: 30 Sep 2013

Phone #: 819-281-4110 End of Test Date: 17 Feb 2014

EMail: campbell3@xittel.ca Pick Up Date:

Address: 5182 ROUTE 309, (OUTAOUAIS), L'ANGE-GARDIEN, QC, J8L 2W9

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added
information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to
calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - *Rib Eye Area (square inches)* - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (Ibs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (Ibs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201410 Jean Mercier Farm

Unofficial



	Genetic	Evaluat	ions (25	Feb 20	014)							'		V
Tag 0023 Pen 1 Tattoo	JKSD 23A		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$	
Contact JEAN MERCIER - JEAN MERCIER FARM HC/Breed P CHAROLAIS Birthdate 02Jan2013 Colour SireSire BAR J RASPUTIN 247R	819-281-4110	%ab ABC Acc %wb	17 -2 27 51	23 1.4 53 64	87 49 43	75 26 15 91							N/R	
SireSire BAR J RASPUTIN 247R Sire TKC RASPUTIN 52W Dam JKSD POLLED QUEEN 40W DamSire TKC 86T			8W AWW 00 669	WI 102		EOT AD		HH Fram 51.0 5.4		REA AdjRE.		lj%lmf Grad 2.12 PD-/		AdjSC
Tag 0026 Pen 1 Tattoo	JKSD 26A		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$	
Contact JEAN MERCIER - JEAN MERCIER FARM HC/Breed P CHAROLAIS Birthdate 04Jan2013 Colour SireSire BAR J RASPUTIN 247R	819-281-4110	%ab ABC Acc	11 -3 27 36	11 2.9 53 39	97 59 43 95	86 29 15 96							N/R	
Sire TKC RASPUTIN 52W		CE E	BW AWW	WI	SOT	EOT AD	G WPDA	HH Fram	e Fat	REA AdjRE	A %Imf Ac	lj%lmf Grad	e SC	AdjSC
Dam BOMER 9M DamSire B & M SEE YOU LATER 32J		U 1	05 735	112	980	1270 1.95	5 3.11	52.0 6.0	5	14.3 13.3	2.97	2.65 A		
Tag 0028 Pen 1 Tattoo	JKSD 28A		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$	
Contact JEAN MERCIER - JEAN MERCIER FARM HC/Breed P CHAROLAIS Birthdate 06Jan2013 Colour	819-281-4110	%ab ABC Acc	12 -3 26 38	16 2.2 52 51	44 37 43 27	36 3 18 15 57							N/R	
SireSire BAR J RASPUTIN 247R Sire TKC RASPUTIN 52W Dam BOMER POLLED 87L DamSire PRR 7F			8W AWW 01 553	WI 84		EOT AD		HH Fram 50.0 5.0		REA AdjRE.		lj%lmf Grad 2.99 A	e SC	AdjSC
Tag 0032 Pen 1 Tattoo	JKSD 32A		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$	
Contact JEAN MERCIER - JEAN MERCIER FARM HC/Breed P CHAROLAIS Birthdate 18Jan2013 Colour SireSire BAR J RASPUTIN 247R	819-281-4110	%ab ABC Acc %wb	5 - 5 27 15	5 4.4 53 18	97 58 43 95	86 29 17 96							N/R	
Sire TKC RASPUTIN 52W		CE E	BW AWW	' WI	SOT	EOT AD	G WPDA	HH Fram	e Fat	REA AdjRE	A %Imf Ac	lj%lmf Grad	e SC	AdjSC
Dam BOMER POLLED 74K DamSire PRR 7F		U 1	12 750	114	955	1255 1.96	3.18	54.0 7.1	6	14.5 13.7	3.81	3.52 A-A	4	
Tag 0034 Pen 1 Tattoo	JKSD 34A		CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$	
Contact JEAN MERCIER - JEAN MERCIER FARM HC/Breed P CHAROLAIS Birthdate 22Jan2013 Colour SireSire BAR J RASPUTIN 247R	819-281-4110	%ab ABC Acc	33 0 26 74	48 7 52 88	61 41 43 45	39 19 16 60							N/R	
Sire TKC RASPUTIN 52W		CE E	BW AWW	wı wı	SOT	EOT AD	G WPDA	HH Fram	e Fat	REA AdjRE	A %Imf Ac	lj%lmf Grad	e SC	AdjSC
Dam BOMER POLLED 75K DamSire PRR 7F		U	85 561	86	735	1035 2.02	2 2.65	50.5 5.4	4	13.3 12.7	2.64 2	2.46 PD-/	A	

02Mar2014 Page: 4 of 6

Bull Evaluation EOT Report

201410 Jean Mercier Farm

Unofficial



Genetic Evaluations (25 Feb 2014)

		Genetic	Evalua	ations	S (25	reb 20	714)													
Tag 0035 Pen 1	Tattoo	JKSD 35A		C	CE	BW	WG		Milk	PWG	Y	′G	FAT		REA	%IMF	= 5	SC	BIO\$	
Contact JEAN MERCIER - JEAN HC/Breed P CHAROLAIS Birthdate 23Jan2013 (SireSire BAR J RASPUTIN 24	Colour	819-281-4110	%ab ABC A %wb		8 - 4 27	8 3.6 53 28	96 56 93	43	88 29 15 97										N/R	
Sire TKC RASPUTIN 52W	ar K		CE	BW	AWW	WI	SOT	EO	OT ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	sc	AdjSC
Dam JKSD POLLED QUEEN DamSire LAND O'LAKES PET	_		U	105	731	111	940	130	05 2.48	3.35	53.5	6.9	5	14.2	13.6	2.99	2.80	Α		
Tag 0040 Pen 1	Tattoo	JKSD 40A		(CE	BW	WG		Milk	PWG	Y	′G	FAT		REA	%IMF	= 9	SC	BIO\$	
Contact JEAN MERCIER - JEA HC/Breed P CHAROLAIS Birthdate 18Feb2013	N MERCIER FARM	819-281-4110	%ab ABC A	cc -	13 - 3 27	16 2.2 53	97 57	43	89 30 15										N/R	
SireSire BAR J RASPUTIN 24 Sire TKC RASPUTIN 52W			%wb	BW	AWW	51 WI	94 SOT	EO	97 OT ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	sC	AdjSC
Dam JKSD POLLED QUEEN DamSire TKC 86T	N 34W		U	105	748	114	845	117	75 2.29	3.23	53.5	7.3	2	12.8	12.8	1.89	1.90	PD-A		
9 00-12 1	Tattoo	JKSD 42A		(CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	= 8	SC	BIO\$	
Contact JEAN MERCIER - JEA HC/Breed P CHAROLAIS Birthdate 03Mar2013	N MERCIER FARM	819-281-4110	%ab ABC A %wb	cc -	11 - 3 27	13 2.6 53	60 41 44	43	58 22 15 80										N/R	
SireSire BAR J RASPUTIN 24 Sire TKC RASPUTIN 52W	7R		CE	BW	AWW	WI	SOT	EO		WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	s SC	AdjSC
Dam JKSD POLLED QUEEN DamSire TKC 86T	N 39W		U	105	616	94	735	103	35 2.12	2.95	53.0	7.2	5	13.1	13.4	2.04	2.12	PD-A		

201410 Jean Mercier Farm

Genetic Evaluations (25 Feb 2014)

Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score		REA	Adj REA	%IMF	Adj %IMF	Scrotal
Unofficial	8	100	102	670	857	938	1002	1086	1172	2.14	3.01	52.2	6.3	5	13.8	13.2	2.76	2.57	

Note: Measurements from Unofficial Bulls are not included in the Group Averages above.

<u>Provision and Use of Information Produced by BIO</u> As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This dause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.

02Mar2014 Page: 6 of 6