

Bull Evaluation Centre Report

201418 Koyle Farms Bull Test (End of Test) Test Date: 22 Feb 2014 Days on Test: 127

Centre Manager: **DWIGHT KOYLE** Start of Test Date: **18 Oct 2013**

Phone #: 519-764-2697 End of Test Date: 22 Feb 2014

EMail: cdkoyle@gtn.net Pick Up Date:

Address: R.R.#3, 33429 6TH LN, SOUTHWOLD TWNSHP., IONA STATION, ON, NOL 1P0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added
information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to
calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - *Rib Eye Area (square inches)* - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (Ibs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (Ibs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201418 Koyle Farms Bull Test



			Genetic	Evalu	atior	าร (27	Feb 20)14)											•	6 *6	X->
Tag 0001 F	Pen	Tattoo	DKP 1A			CE	BW	WG	I N	∕lilk	PWG	Y	G	FAT		REA	%IM	F {	SC	BIO\$	
Contact DWIGHT HC/Breed P 94% Birthdate 02Jan20	LIMOUSIN 013	Colour RED	519-764-2697	%ab ABC A %wb	Acc		66 -2.0 47 55	31 34 P 60	'E		6 10 41 45	11 44 53	PE	3 79 8	46	90 . 58 40 74	24 12 91	40 4	15 42 60 34	N/R	
	S NAPOLEON SPACE SHIP			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
	SCARLETTE NEW GENER	-			85	N/A	ET	942	1360	3.27	3.27	52.0	5.9	4	16.9	15.4	3.12	2.74	А	36.0	34.1
Tag 0004 F	Pen	Tattoo	DKP 4A			CE	BW	WG	N	Лilk	PWG	Y	G	FAT		REA	%IM	F S	SC	BIO\$	
Contact DWIGHT HC/Breed P 94% Birthdate 03Jan20	LIMOUSIN 013	Colour RED	519-764-2697	%ab ABC A %wb	Acc		71 -2.4 45 63				2 4 39 19			51 .00 91	14 -	42 01 38	21 13 88	382	17 25 59	N/R	
	SECRET WEA INDFALL 907			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	ULTIMATE NEW GENER	ATION 071M			83	N/A		984	1375	3.03	3.31	54.0	6.9	8	14.8	13.6	2.83	2.49	PD-A	36.0	34.2
Гад 0013 F	Pen	Tattoo	DKP 13A			CE	BW	WG	I.	⁄lilk	PWG	Y	G	FAT		REA	%IMI	F S	SC	BIO\$	
Contact DWIGHT HC/Breed P SIM Birthdate 18Jan20 BireSire	MENTAL	KOYLE FARMS Colour BLACK	519-764-2697	%ab ABC A %wb	Acc		31 . 6 49 67				27 23 40 17			6 67 6	46	66 .28 40 45	27 10 44	40 1.5	91 58 60 75	N/R	
Sire MR HOC Dam JF LATI	C BROKER SHA 9014W CHO M450 B	z		CE	90	AWW N/A	WI	SOT 900	EOT 1365	ADG 3.65	WPDA 3.41	HH 52.5	Frame		REA 15.3	AdjREA	%lmf 2.76	Adj%lmf 2.52	Grade	SC 39.0	AdjSC 37.7
Гад 0014 F	Pen	Tattoo	JPC 14A			CE	BW	WG	l N	Лilk	PWG	Y	G	FAT		REA	%IM	F §	SC	BIO\$	
Contact DWIGHT HC/Breed P ANC Birthdate 19Jan2C BireSire	GUS	KOYLE FARMS Colour BLACK	519-764-2697	%ab ABC A %wb		59 2 PE 14	60 -1.6 54 17	22 31 P 19	PE 1	88 9 PE	29 24 44 8	24 55 11	PE	87 1.21 - 58	45 -	3 63 37	95 . 65 86	37 .6	53 66 60 37	N/R	
Sire WAF ZO	RZAL 321U SLAY MAGIC	411		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	ISTOLERO	10			90	N/A		1002	1465	3.61	3.67	54.5	7.3	11	13.0	12.3	5.77	5.28	AAA	37.5	36.3
Гад 0016 F	Pen	Tattoo	DKP 16A			CE	BW	WG	I N	/lilk	PWG	Y	G	FAT		REA	%IM	F S	SC	BIO\$	
Contact DWIGHT HC/Breed P 91% Birthdate 19Jan20 BireSire KAJO	LIMOUSIN	Colour BLACK	519-764-2697	%ab ABC A %wb	Acc		68 -2.2 49 59				9 14 47 60			41 15 84	52	94 . 69 47 87	6 25 42	47 -1.9	1 93 64 4	N/R	
Sire AHCC V	VESTWIND W	544		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam EF TICK	LE MY FANC	Y 570T			80	N/A	ET	832	1245	3.12	3.12	52.5	6.3	7	17.6	16.5	2.47	2.26	PD-A	29.0	27.8

Page: 4 of 7 02Mar2014

Bull Evaluation EOT Report

201418 Koyle Farms Bull Test



Genetic Evaluations (27 Feb 2014)

				Genetic	Evalu	atio	าร (27	Feb 20)14)											•	• •	
Tag 001 8	8 Pen		Tattoo	DKP 18A			CE	BW	WG	N	/lilk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
HC/Breed I	DWIGHT P. P 91% LII 04Feb2013 LESF ASF	MOUSIN	KOYLE FARMS Colour RED	519-764-2697	%ab ABC / %wb	Acc		49 8 48 31				6 10 41 43			17 47 50	45	94 . 68 39 86	7 24 39 45	-2.1	1 1 60 2	N/R	
	EXLR TOTA		Г 054Т		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	e Fat	REA	AdjREA	%Imf A	dj%lmf	Grade	SC	AdjSC
Dam I DamSire	KOYLE TIC KOYLE TI		-			85	N/A		825	1255	3.37	3.28	51.5	6.0	5	17.4	16.8	2.49	2.37	PD-A	29.0	28.3
Tag 002	0 Pen		Tattoo	DKP 20A			CE	BW	WG	l N	/lilk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
HC/Breed I Birthdate	_	MOUSIN	Colour BLACK	519-764-2697	%ab ABC / %wb	Acc		52 - 1.0 48 35				3 6 42 28			33 26 75	45	46 . 05 40	9 22 40 52		-	N/R	
SireSire Sire I	EXLR TOTA	_	Г 054Т		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	e Fat	REA	AdjREA	%Imf A	dj%lmf	Grade	SC	AdjSC
Dam I DamSire	KOYLE YO		CY 2Y NERAL 122R			80	N/A		850	1240	3.06	3.25	52.5	6.5	6	13.6	13.2	2.64	2.53	PD-A	31.5	30.9
Tag 002	2 Pen		Tattoo	DKP 22A			CE	BW	WG	ı	/lilk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
HC/Breed I	DWIGHT P. P 91% LII 07Feb2013 LESF ASF	MOUSIN	KOYLE FARMS Colour BLACK	519-764-2697	%ab ABC / %wb	Acc		49 8 50 31				4 8 44 35			2 81 6	48	88 . 56 43	1 33 43 13	-2.0	1 3 62 3	N/R	
Sire I	EXLR TOTA EF TICKLE GPFF BLA	AL IMPACT	Y 570T		CE	BW 87	AWW N/A	WI ET	SOT 866	EOT 1285	ADG 3.32	WPDA 3.38	HH 51.0	Frame 5.8		REA 15.7	AdjREA		dj%lmf 2.05	Grade PD-A	SC 30.0	AdjSC 29.5
Tag 002 :	3 Pen		Tattoo	DKP 023A			CE	BW	WG	l N	/lilk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
HC/Breed I	DWIGHT P. P 94% LII 07Feb2013 KAJO RE	MOUSIN	Colour BLACK	519-764-2697	%ab ABC %wb	Acc		50 9 49 33	28 33 F 56	PE		13 17 45 70	17 49 65	PE	19 44 54	49	71 .34 44 29	4 28 44 30	29 . 1 :	2 62	N/R	
Sire	AHCC WES	TWIND W	-		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	e Fat	REA	AdjREA	%Imf A	dj%lmf	Grade	SC	AdjSC
Dam , DamSire	JYF PASSIO ROMN MA		RDER			88	N/A	ET	886	1305	3.30	3.43	54.0	7.3	4	15.5	15.1	2.27	2.18	PD-A	36.5	36.0
Tag 002	6 Pen		Tattoo	DKP 26A			CE	BW	WG	l N	/lilk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
HC/Breed I	DWIGHT P. P SIMME 20Feb2013	NTAL	KOYLE FARMS Colour BLACK	519-764-2697	%ab ABC %wb	Acc		40 1 49 78				17 19 40 7			16 49 20	46	68 . 30 40 48	47 . 00 40 77	9: 1.7 : 8	2 60	N/R	
Sire I	MR HOC BE	_			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	e Fat	REA	AdjREA	%Imf A	dj%lmf	Grade	SC	AdjSC
	JF LATISHA 3C MACH		Z			85	N/A	ET	862	1285	3.36	3.50	53.5	7.2	5	15.0	14.9	3.55	3.53	A-AA	38.5	38.4

Bull Evaluation EOT Report

201418 Koyle Farms Bull Test



Genetic Evaluations (27 Feb 2014)

				Genetic	⊏vaiua	llion	IS (Z <i>I</i>	reb zu	J14)													
Tag 0029	9	Pen	Tattoo	DKP 29A		(CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	: 8	SC	BIO\$	
HC/Breed F Birthdate 2	91 21Feb	% LIMOUSIN 2013	- KOYLE FARMS Colour BLACK EAPON 4408K	519-764-2697	%ab ABC Ac %wb	cc		79 -3.1 50 75	68 42 89	PE		96 50 45 99	91 93 99	PE	54 . 08 93	48	88 .56 42	39 04 4 98	1 2 7 6	5 61	N/R	
		DOLLAR GEN			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
		E SCARLETTI R NEW GENEI	E O" RATION 071M			82	N/A		684	1340	5.03	3.66	51.0	6.0	8	17.3	17.3	3.49	3.48	Α	32.5	32.5
Tag 0033	3	Pen	Tattoo	DKP 33A		(CE	BW	WG		Milk	PWG	Y	'G	FAT		REA	%IMF	: 8	SC	BIO\$	
Contact DE HC/Breed F Birthdate OF SireSire	91 04Mar	% LIMOUSIN	Colour BLACK	519-764-2697	%ab ABC Ac %wb	cc		68 -2.2 49 59				18 20 47 78			50 01 90	52	72 . 35 47 32	10 21 4 59	79	7 1 64 5	N/R	
		WESTWIND \	-		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
	_	KLE MY FAN F BLAQUE RU				80	N/A	ET	772	1220	3.50	3.44	52.0	6.6	7	13.8	14.1	2.79	2.87	PD-A	32.5	32.9
Tag 005 1	1	Pen	Tattoo	MMSL 51A		(CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	: 8	SC	BIO\$	
HC/Breed F Birthdate 2	P SI 21Feb	MMENTAL 2013	- KOYLE FARMS Colour BLACK	519-764-2697	%ab ABC Ac %wb	С	74 3 PE 96	73 - 2.6 49 96	99 69 98	PE		97 52 43 96	99 121 98	PE	28 33 41	48 -	22 24 42 2	34 06 4 56		9 5 60 5	N/R	
		TOP GUN R24 ESTONE 999			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
Dam L DamSire	_AZY	H CLASSY TO	DUCH W63			75	N/A		790	1365	4.47	3.73	52.0	6.5	5	13.5	13.5	2.77	2.76	PD-A	36.5	36.5

02Mar2014 Page: 6 of 7

201418 Koyle Farms Bull Test

Genetic Evaluations (27 Feb 2014)

Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	1		90		1002		1220		1465	3.61	3.67	54.5	7.3	11	13.0	12.3	5.77	5.28	37.5
LIMOUSIN	9		83		849		1068		1292	3.44	3.35	52.3	6.4	6	15.8	15.2	2.69	2.55	32.6
SIMMENTAL	3		83		851		1058		1338	3.83	3.55	52.7	6.7	5	14.6	14.3	3.03	2.94	38.0
Group Averages	13		84		861		1078		1316	3.55	3.42	52.5	6.5	6	15.3	14.8	3.01	2.85	34.2

<u>Provision and Use of Information Produced by BIO</u> As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This dause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.