

# **Bull Evaluation Centre Report**

201432 Shoreline Stock Farms (End of Test)

Test Date: 25 Feb 2014 Days on Test:112

Centre Manager: GUY AND SUSAN JOHNSON Start of Test Date: 05 Nov 2013

Phone #: 204-448-2101 End of Test Date: 25 Feb 2014

EMail: shoreline@inetlink.ca Pick Up Date:

Address: GENERAL DELIVERY, EDDYSTONE, MB, ROL 0S0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

### A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

### **Report Features**

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

#### Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	<b>PWG</b>	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

### Report Definitions and Legend

#### Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (lbs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

**WI - Weaning Index - Within-herd index based on adjusted weaning weight.** Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

#### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

**HH - Hip Height (inches) -** Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

**REA & AdjREA -** *Rib Eye Area (square inches)* - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

**%IMF & Adj%IMF -** *Percent Intramuscular Fat (Marbling) -* Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

**GRADE -** %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

### Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (Ibs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (Ibs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (Ibs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

## 201432 Shoreline Stock Farms



				Genetic	Evalu	atior	าร (31	Mar 20	14)								ı					
Tag <b>060</b>	2	Pen	Tattoo	SHOR 27A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
HC/Breed Birthdate	P 3/4 10Mar	ANGUS	Colour BLACK	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	86 <b>5</b> 27	77 <b>-2.9</b> 55	97 <b>58</b>	44	55 <b>22</b> 17	95 <b>48</b> 47	98 <b>107</b>	3 7 46	72 . <b>76</b>	44	2 <b>69</b> 38	72 . <b>35</b> 3	1	61 <b>77</b> 59	46 <b>2991</b>	
Dam	LONE SHOR	STAR ADVAN	TAGE E753		CE	86	701	WI 113	SOT 772	EOT		3.36	HH 50.5	Frame 5.9		REA 10.8	AdjREA	%lmf /	Adj%lmf 3.85	Grade A-AA	SC 36.0	AdjS0
Tag <b>060</b>	3	Pen	Tattoo	SHOR 5A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF		SC SC	BIO\$	
Contact	GUY A P 13 02Mar	/16 ANGUS	OHNSON - SHORELII Colour Black		%ab ABC %wb	Acc	97 <b>8</b> 37 92	95 <b>-5.6</b> 59 84	30 <b>33</b> 28	51	58 <b>22</b> 32 40	77 <b>39</b> 54 53	58 <b>72</b> 41	53	91 <b>1.35</b> 70	52	29 16 47 67	80 . <b>45</b> 4	_	25 <b>)1</b> 63	57 <b>3282</b> 47	
	_	FINAL ANSWE			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjS0
	SHOR SHO	_			U	82	615	100	748	1120	3.38	3.13	49.5	5.3	11	13.2	13.3	4.41	4.47	AA	32.5	32.7
Tag <b>060</b>	4	Pen	Tattoo	SHOR 7A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact HC/Breed Birthdate SireSire	P 5/8 02Mar	B ANGUS	OHNSON - SHORELII  Colour Black	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	93 <b>6</b> 37	82 -3.4 59	67 <b>42</b>	50	77 <b>26</b> 32	77 <b>39</b> 54	76 <b>81</b>	52	71 . <b>70</b>	52	25 <b>20</b> 47	64 <b>.16</b> 4	1	77 <b>12</b> 63	50 <b>3108</b>	
	_	FINAL ANSWE			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjS0
Dam DamSire	SHOR SHO				U	84	681	110	816	1180	3.23	3.28	50.5	5.8	8	13.0	13.1	3.04	3.08	А	37.0	37.2
Tag <b>060</b>	5	Pen	Tattoo	SHOR 20A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF		SC SC	BIO\$	
Contact HC/Breed Birthdate SireSire	P 3/4 08Mar	ANGUS	DHNSON - SHORELII  Colour BWF	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	96 <b>7</b> 37	91 <b>-4.7</b> 58	75 <b>45</b>	50	70 <b>25</b> 32	90 <b>44</b> 54	87 <b>89</b>	52	76 . <b>86</b>	52	16 <b>34</b> 47	70 . <b>32</b> 4		53 <b>65</b> 63	60 <b>3359</b>	
	_	FINAL ANSWE			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire	SHOR SHO				U	90	677	110	735	1142	2 3.66	3.23	49.0	5.1	8	11.8	12.0	3.56	3.67	A-AA	35.0	35.4
Tag <b>060</b>	6	Pen	Tattoo	SHOR 26A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
	P SC 09Mar	OUTH DEVON	Colour <b>BWF</b>	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	71 <b>3</b> 32	71 <b>-2.4</b> 58	63 <b>41</b>	PE	53 <b>21</b> PE	13 <b>17</b> 48	29 <b>58</b>	PE	67 . <b>55</b>	46	24 <b>21</b> 41	15 <b>17</b> 4		33 <b>23</b> 60	N/R	
		BLACK ENUF			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire	SHOR REM	46Y INGTON RED	LABEL HR		U	101	638		753	1083	3 2.95	3.07	52.0	6.7	8	12.8	13.1	1.62	1.68	PD	33.5	33.9

01Apr2014 Page: 4 of 8

## 201432 Shoreline Stock Farms



				Genetic	Evalu	atior	ns (31	Mar 20	14)										,		
Tag <b>060</b>	7	Pen	Tattoo	SHOR 18A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
HC/Breed Birthdate	P S	IMMENTAL / CI r2013	Colour BLACK	NE STOCK FARM 204-448-2101	%ab ABC Acc %wb		88 <b>5</b> 35	92 <b>-4.9</b> 58	33 <b>34</b>		61 <b>23</b> 24	60 <b>33</b> 50	48 <b>67</b>	50	60 . <b>30</b>	49	14 37 43	65 . <b>20</b> 43	34 . <b>25</b> 61	30 <b>2544</b>	
	DIKE	67J THE GAMBI MANS SURE BI ₹ 161Y			CE	BW	AWW	WI	SOT	EOT	ADG			Frame	-		AdjREA		,	-	AdjSC
DamSire		AIRIELANE NET	WORT		U	81	574	93	662	1047	3.43	2.96	51.0	6.1	8	12.0	12.2	4.04	4.17 AA	34.0	34.4
Tag <b>060</b>	8	Pen	Tattoo	SHOR 43A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
	P S 14Ma	IMMENTAL / C	Colour BLACK	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	99 <b>11</b> 36	99 <b>-9.3</b> 58	71 <b>43</b>		82 <b>27</b> 28	22 <b>21</b> 53	42 <b>65</b>	52	37 <b>21</b>	50	46 .06 45	66 . <b>23</b> 45	14 <b>45</b> 62	55 <b>3239</b>	
	_	(S SHEAR FOR			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf A	Adj%Imf Grad	e SC	AdjSC
Dam DamSire	-	R 374Y DLOBE MILE HI	GH 78W		U	73	634	103	660	958	2.75	2.75	49.0	5.2	5	12.9	13.3	3.37	3.53 A	32.0	32.6
Tag <b>060</b>	9	Pen	Tattoo	SHOR 52A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
HC/Breed	P A	NGUS	Octor DED	NE STOCK FARM 204-448-2101	%ab	Acc	99 <b>9</b> 27	98 - <b>6.9</b> 56	33 <b>34</b>		41 <b>19</b> 11	95 <b>49</b> 44	80 <b>83</b>	) 3 45	79 <b>.95</b>	44	23 <b>24</b> 38	83 . <b>47</b> 38	74 1.03 59	76 <b>3821</b>	
Birthdate SireSire		r2013 TRADITION 203	Colour RED -6145		%wb		96	94	31		23	88	68	; <u> </u>	35		54	44	68	69	
Sire Dam		TRUE VALUE R 250Y	ER 198X		CE	BW	AWW 587	WI 95	SOT	EOT	ADG 3.96	WPDA 3.26	HH 50.5	Frame 6.0	-	REA			Adj%lmf Grad		AdjS0
DamSire	SHO	DR3U			U	82	367	95	677	1123	3.90	3.20	50.5	0.0	9	12.8	13.3	3.00	4.10 A-A	30.0	00.0
Tag <b>061</b>		Pen	Tattoo	SHOR 62A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
	P 5	/8 ANGUS	Colour BLACK	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	52 <b>1</b> 32	60 <b>-1.6</b> 57	10 <b>26</b>		<b>20</b> 13	32 <b>25</b> 48	19 <b>51</b>	48	66 <b>.55</b>	48	20 27 43	90 <b>.55</b> 43	19 18 62	18 <b>2142</b>	
Sire	7X NI	W DESIGN 460	-		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf A	Adj%lmf Grad	e SC	AdjSC
Dam DamSire		R 342Y DR81T			Е	99	618	100	718	1069	3.11	3.13	51.0	6.3	7	11.8	12.3	4.26	4.55 AA	32.0	32.8
Tag <b>061</b>	1	Pen	Tattoo	SHOR 71A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
HC/Breed Birthdate	P A 23Ma	NGUS r2013	Colour BLACK	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	97 <b>7</b> 31 91	96 <b>-5.8</b> 57 87	38 <b>35</b> 35	48	38 <b>19</b> 12 20	92 <b>46</b> 48 81	77 <b>81</b> 63	48	70 . <b>69</b> 13	47	20 <b>28</b> 41 47	89 . <b>54</b> 41 64	44 .47 61 25	67 <b>3557</b> 58	
SireSire Sire	_	C NEW DESIGN EW DESIGN 460	-		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf A	Adj%lmf Grad	e SC	AdjSC
Dam DamSire		R 285Y DLOBE MILE HI	GH 78W		U	84	535	87	642	1063	3.91	3.14	50.0	5.8	7	12.8	13.4	4.30	4.63 AA	34.5	35.4

## 201432 Shoreline Stock Farms



				Genetic	Evalu	uation	าร (31	Mar 20	14)								1		'		
Tag <b>061</b>	2	Pen	Tattoo	SHOR 77A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
	P 13 26Mar	/16 ANGUS	HNSON - SHORELIN	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	91 <b>5</b> 32 69	77 <b>-2.9</b> 57 38	82 <b>47</b> 84	48	38 <b>19</b> 12 20	99 <b>59</b> 48 97	97 <b>106</b> 96	48	80 . <b>99</b> 39	48	41 <b>01</b> 43	74 . <b>38</b> 43 17	58 . <b>72</b> 62 44	89 <b>4405</b> 87	
Sire Dam	7X NE SHOR	W DESIGN 460			CE	98	AWW 687	111	SOT 734	EOT	Γ ADG 2 4.30		НН 51.0	Frame 6.4		14.1	AdjREA	3.34	3.63 A	sc 35.0	AdjSC 36.1
	GUY A P 9/ 26Mar	16 ANGUS / CR	Colour BLACK	SHOR 78A NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	50 <b>1</b> 31	30 . <b>7</b> 57	WG 40 <b>36</b>	48	Milk 35 <b>18</b> 12	PWG 60 <b>33</b> 48	51 <b>69</b>	-	71 . <b>71</b>		20 27 42	%IMF 71 .33 42	SC 10 73 61	21 2253	
Sire	7X NE SHOR	W DESIGN 460 386Y	-		CE	108	687	111	SOT 698	110	7 ADG 3 3.48	3.28	HH 50.0	Frame 5.9		12.2		3.41	3.70 A	sc 30.0	AdjS0
Tag <b>061</b>	4	Pen	Tattoo	SHOR 89A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
Contact HC/Breed Birthdate SireSire	NE STOCK FARM 204-448-2101	%ab ABC %wb	Acc	91 <b>5</b> 32	83 -3.5 58	35 <b>35</b>	49	51 <b>21</b> 13	71 <b>36</b> 48	55 <b>71</b>	49	65 . <b>49</b>	48	18 30 43	90 <b>.55</b> 43	66 . <b>88</b> 62	45 <b>2969</b>				
Sire			-		CE	86	631	WI 102	SOT 708	106			HH 50.0	Frame 6.0	Fat 6	11.8		%lmf / 4.34	Adj%lmf Grad 4.79 AA		AdjS0
Tag <b>061</b>	5	Pen	Tattoo	SHOR 94A			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	SC	BIO\$	
HC/Breed Birthdate	P 5/8 05Apr	8 ANGUS 2013	HNSON - SHORELIN	NE STOCK FARM 204-448-2101	%ab ABC %wb		99 <b>9</b> 33	98 - <b>7.3</b> 58	40 <b>36</b>	49	47 <b>20</b> 13	61 <b>34</b> 48	52 <b>69</b>	49	67 . <b>58</b>	49	59 . <b>22</b> 43	71 .32 43	27 .06 62	75 <b>3807</b>	
	7X NE SHOR	C NEW DESIGN W DESIGN 460 15Y KS SHEAR FO			CE	BW 79	AWW 626	WI 101	SOT 666	EOT	-		HH 51.0	Frame 6.5	Fat 8	14.5			3.90 A	sc 33.0	AdjSC 34.4
Tag <b>061</b>		Pen	Tattoo	SHOR 103A	0/ 1		CE 99	BW	WG		Milk	PWG	Y	-	FAT		REA	%IMF	SC	BIO\$	
	P 13	/16 ANGUS	Colour <b>BLACK</b>	204-448-2101	%ab ABC %wb	Acc	<b>9</b> 33 96	98 - <b>7.1</b> 58 95	55 <b>39</b> 54	49	58 <b>22</b> 13 40	90 <b>44</b> 48 76	80 <b>84</b> 69	49	81 <b>1.01</b> 40	48	27 17 43 65	88 . <b>53</b> 43 61	48 . <b>54</b> 62 29	77 <b>3862</b> 70	
Sire	7X NE	W DESIGN 460	-		CE	BW	AWW	WI	SOT	ЕОТ	Γ ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf /	Adj%lmf Grad	e SC	AdjSC
Dam DamSire	SHOR SHO				U	73	642	104	642	104	9 3.72	3.27	48.0	5.1	9	12.7	13.8	4.03	4.58 AA	34.0	35.6

01Apr2014 Page: 6 of 8

PRAIRIELANE 4019-815

### 201432 Shoreline Stock Farms



### Genetic Evaluations (31 Mar 2014)

Tag <b>0617</b>	Pen	Tattoo	SHOR 92A			CE	BW	WG	1	Milk	PWG	Y	′G	FAT		REA	%IMF	: 8	SC	BIO\$	
		JOHNSON - SHORE	ELINE STOCK FARM	%ab		44	46	40	Π.	41	36	37	7	70		28	71	3	31	23	
HC/Breed P 3	3/4 ANGUS		204-448-2101	ABC	Acc	<b>1</b> 28	<b>6</b> 56	36	46	19 11	<b>27</b> 45	62	<b>2</b> 46	.67	45 -	·. <b>17</b> 39	<b>.34</b> 3	9 .1	8 59	2327	
Birthdate 01Ap	or2013	Colour <b>BLACK</b>		%wb																	
SireSire LAI	FLIN SOUTH V	WIND 5258																			
Sire FRAS	SER VIEGO 10	076		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	R 304Y AIRIELANE 30	011-7053		U	89	610	99	652	975	3.04	2.95	52.5	7.2	8	13.6	14.6	3.59	3.97	A-AA	33.5	34.8
			-																		
Tag <b>0618</b>	Pen	Tattoo	SHOR 47A			CE	BW	WG		Milk	PWG	Y	′G	FAT		REA	%IMF	·   S	SC	BIO\$	
Contact GUY	AND SUSAN	JOHNSON - SHORE	ELINE STOCK FARM	%ab		58	66	54	T .	49	83	74	4	48		15	68	3	39	35	
HC/Breed P 3	3/4 ANGUS		204-448-2101	ABC	Acc	<b>2</b> 28	<b>-2.0</b> 56	39	46	21 11	<b>41</b> 45	80	<b>0</b> 46	05	44 -	.35 38	<b>.26</b> 3	8 .3	<b>7</b> 59	2695	
Birthdate 16Ma	ar2013	Colour BLACK		%wb																	
SireSire LAI	FLIN SOUTH V	WIND 5258																			
Sire FRAS	SER VIEGO 10	076		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	R 415Y			U	93	634	103	747	1166	3.72	3.37	48.5	5.0	5	12.3	12.7	3.15	3.32	Α	34.0	34.7
DamSire PR	AIRIFI ANF 40	119-815			1	1								_			1 1				

DamSire

### 201432 Shoreline Stock Farms

Genetic Evaluations (31 Mar 2014)

## **Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score		REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	10	100	86	632	706	802	920	1024	1109	3.66	3.25	50.0	5.8	8	12.6	13.2	3.83	4.10	34.6
CROSSBRED	7	86	89	637	710	812	917	989	1068	3.17	3.09	50.6	6.1	7	12.7	13.2	3.32	3.51	33.1
Group Averages	17	94	88	634	708	806	919	1010	1092	3.46	3.19	50.2	5.9	8	12.7	13.2	3.62	3.86	34.0

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliation to such services.

01Apr2014 Page: 8 of 8