



bio  
660 Speedvale Ave. West,  
Suite #205, Guelph ON, N1K 1E5

p: 855.246.2333  
f: 519.767.2502  
www.biotrack.ca

## Bull Evaluation Centre Report

**201433 First Line Angus**

**( End of Test )**

Test Date: **13 Mar 2014** Days on Test:**109**

Centre Manager: **BRIAN WHITWELL**

Start of Test Date: **24 Nov 2013**

Phone #: **905-768-5148**

End of Test Date: **13 Mar 2014**

E Mail: **whitbk@xplornet.com**

Pick Up Date:

Address: **560 1st Line, R.R.#3 , HAGERSVILLE , ON , N0A 1H0**

Ration Statement:

- Note:**
- 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.**
  - 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.**
  - 3. If you have questions on data submission, please contact our office.**

# A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

## Report Features

- ♦ Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- ♦ Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
  - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
  - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
  - Example: A bull or heifer that has a percentile of 99 (99<sup>th</sup> percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80<sup>th</sup> percentile is in the top 20%, etc.
- ♦ Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

## Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- ♦ Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ♦ ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- ♦ Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- ♦ BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ♦ ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

## Report Definitions and Legend

### Herd Measurements (BIO believes in Whole Herd Recording)

**CE - Calving Ease** - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

**BW - Birth weight (lbs)** of the animal.

**AWW - Adjusted Weaning Weight (lbs)** - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

**WI - Weaning Index** - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

**SOT - Start of Test Weight (lbs)**

**EOT - End of Test Weight (lbs)**

**ADG - Average Daily Gain (lbs/day)** - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

**WPDA - Weight Per Day of Age (lbs/day)** - Weight taken at weigh period divided by days of age and includes birth weight.

**HH - Hip Height (inches)** - Height of the animal over the hip bones at EOT.

**FRAME - Frame Score** - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

**FAT - Backfat (mm)** - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

**REA & AdjREA - Rib Eye Area (square inches)** - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

**%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling)** - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

**GRADE - %IMF expressed as marbling grade (A, AA or AAA)** - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

**SC & AdjSC - Scrotal Circumference (cm)** - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

### Genetic Evaluations - Across Breed EPDS (ABCs)

**CE - Calving Ease ABC** - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

**BW - Birth Weight ABC ( lbs)** - The effect the animal will have on the birth weight of their calves.

**WG - Weaning Gain ABC (lbs)** - The ability of the animal's calves to grow from birth to weaning.

**MILK - Milk/ Mothering ability ABC (lbs of calf at weaning)** - The ability of a animal's daughters to provide their calves with milk and mothering ability.

**PWG - Post-Weaning Gain ABC (lbs)** - Indicates the ability of an animal's calves to grow from weaning to yearling.

**YG - Yearling Gain ABC (lbs)** - Indicates the ability of a animal's calves to grow from birth to yearling.

**FAT - Backfat thickness ABC (mm)** - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

**REA - Rib Eye Area ABC (square inches)** - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

**%IMF - Intramuscular Fat ABC (Marbling)** - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

**SC - Scrotal Circumference ABC (cm)** - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# Bull Evaluation EOT Report

## 201433 First Line Angus



Genetic Evaluations (26 Mar 2014)

Tag **00A2** Pen      Tattoo **FLA 2A**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS**      905-768-5148  
 Birthdate **05Jan2013**      Colour  
 SireSire **S A V IRON MOUNTAIN 8066**  
 Sire **PEAK DOT MOUNTAIN TOP 940X**  
 Dam **FIRST LINE COUNTESS**  
 DamSire **JUST-ROCK SOLID 621P**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	63	53	80	48	57	71	67	2	79	27	17
ABC Acc	2 22	-1.1 52	46 40	21 11	32 42	78 41	.58 44	-.66 38	.44 38	.07 59	2079
%wb	17	12	82	29	28	57	7	6	33	9	9

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	89	726	101	1074	1372	2.87	3.18	54.5	7.0	6	12.0	10.8	4.38	3.70	AA	36.0	33.6

Tag **00A5** Pen      Tattoo **FLA 5A**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS**      905-768-5148  
 Birthdate **08Jan2013**      Colour  
 SireSire **KRUGERRAND OF DONAMERE 490**  
 Sire **TC ADVANTAGE**  
 Dam **FIRST LINE QUEEN 23T**  
 DamSire **FLA DATELINES ENCORE 1R**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	98	97	90	65	92	94	69	10	81	84	69
ABC Acc	8 32	-6.4 54	51 46	24 34	46 50	97 48	.66 48	-.45 42	.46 42	1.34 63	3628
%wb	93	91	92	49	81	90	11	24	39	82	61

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	78	782	109	1138	1496	3.48	3.49	55.0	7.3	6	12.6	11.4	3.96	3.37	A-AA	40.5	38.2

Tag **00A8** Pen      Tattoo **FLA 8A**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS**      905-768-5148  
 Birthdate **23Jan2013**      Colour  
 SireSire **CONNELLY PRODUCT 568**  
 Sire **CONNELLY FINAL PRODUCT**  
 Dam **FIRST LINE EMPRESS 5**  
 DamSire **S A V HERITAGE 6295**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	87	85	92	75	78	89	69	17	66	36	50
ABC Acc	5 25	-3.8 54	52 42	26 10	39 44	91 43	.64 46	-.33 40	.22 40	.30 60	3113
%wb	58	56	94	63	54	83	10	42	1	16	39

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	80	743	103	1014	1352	3.09	3.27	53.0	6.4	6	13.0	12.0	3.25	2.87	A	37.0	35.2

Tag **0A17** Pen      Tattoo **FLA 17A**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS**      905-768-5148  
 Birthdate **11Feb2013**      Colour  
 SireSire **S A V NET WORTH 4200**  
 Sire **S A V FREE SPIRIT 8164**  
 Dam **FLA 10R**  
 DamSire **B S S LIMITED DESIGN**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	55	55	94	68	97	98	87	20	94	30	77
ABC Acc	2 28	-1.2 57	54 46	24 22	53 49	107 48	1.23 48	-.27 43	.63 43	.16 62	3881
%wb	11	13	96	53	93	96	59	49	81	11	71

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	98	792	110	1018	1368	3.28	3.46	54.0	7.1	9	12.5	11.9	4.70	4.34	AA-AAA	36.0	34.9

Tag **0A18** Pen      Tattoo **FLA 18A**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS**      905-768-5148  
 Birthdate **11Feb2013**      Colour  
 SireSire **S A V NET WORTH 4200**  
 Sire **S A V FREE SPIRIT 8164**  
 Dam **UPPER GLEN GRAND JUNE 4T**  
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	85	84	66	82	99	96	77	21	96	4	82
ABC Acc	4 23	-3.7 50	42 40	27 19	59 46	100 43	.90 46	-.27 40	.67 40	-1.22 60	4096
%wb	52	54	67	72	97	93	28	49	87	1	78

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	83	709	99	960	1391	3.94	3.52	51.5	5.9	7	13.3	12.6	5.33	4.93	AAA	31.0	29.9

# Bull Evaluation EOT Report

## 201433 First Line Angus



Genetic Evaluations (26 Mar 2014)

Tag	<b>0A21</b>	Pen		Tattoo	<b>FLA 21A</b>
Contact	<b>BRIAN A. WHITWELL - FIRST LINE ANGUS</b>				
HC/Breed	<b>ANGUS</b>				<b>905-768-5148</b>
Birthdate	<b>25Feb2013</b>	Colour			
SireSire	<b>S A V FINAL ANSWER 0035</b>				
Sire	<b>S A V PIONEER 7301</b>				
Dam	<b>YOUNG DALE ELBA 80P</b>				
DamSire					

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	91	90	76	73	87	86	97	44	90	60	81
ABC Acc	5 <sup>29</sup>	-4.5 <sup>52</sup>	45 <sup>44</sup>	25 <sup>29</sup>	43 <sup>49</sup>	88 <sup>47</sup>	1.67 <sup>52</sup>	.02 <sup>47</sup>	.57 <sup>47</sup>	.76 <sup>64</sup>	4029
%wb	72	70	78	60	70	77	91	92	69	46	76

  

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	85	719	100		902	1238	3.20	3.25	51.0	5.8	8	14.0	13.6	4.66	4.46	AA-AAA	37.5	36.9

Tag	<b>0A23</b>	Pen		Tattoo	<b>FLA 23A</b>
Contact	<b>BRIAN A. WHITWELL - FIRST LINE ANGUS</b>				
HC/Breed	<b>ANGUS</b>				<b>905-768-5148</b>
Birthdate	<b>25Feb2013</b>	Colour			
SireSire	<b>HF KODIAK 57U</b>				
Sire	<b>FIRST LINE KODIAK 8X</b>				
Dam	<b>FLA 35X</b>				
DamSire	<b>S A V PIONEER 7301</b>				

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	82	76	91	61	88	92	88	7	77	7	45
ABC Acc	4 <sup>30</sup>	-2.8 <sup>57</sup>	51 <sup>47</sup>	23 <sup>16</sup>	43 <sup>48</sup>	94 <sup>48</sup>	1.25 <sup>49</sup>	-.50 <sup>44</sup>	.42 <sup>44</sup>	-.96 <sup>62</sup>	2980
%wb	44	36	93	44	72	88	61	18	27	1	35

  

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	87	744	103		928	1290	3.45	3.39	50.5	5.5	8	12.3	12.0	3.97	3.80	A-AA	31.5	30.9

Tag	<b>0A39</b>	Pen		Tattoo	<b>FLA 39A</b>
Contact	<b>BRIAN A. WHITWELL - FIRST LINE ANGUS</b>				
HC/Breed	<b>ANGUS</b>				<b>905-768-5148</b>
Birthdate	<b>25Mar2013</b>	Colour			
SireSire	<b>HF KODIAK 57U</b>				
Sire	<b>FIRST LINE KODIAK 8X</b>				
Dam	<b>JL GERTIE 0091</b>				
DamSire	<b>S A V PIONEER 7301</b>				

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	81	77	91	81	87	92	99	7	76	13	43
ABC Acc	4 <sup>28</sup>	-2.9 <sup>54</sup>	51 <sup>45</sup>	27 <sup>12</sup>	43 <sup>45</sup>	94 <sup>45</sup>	1.97 <sup>49</sup>	-.50 <sup>44</sup>	.41 <sup>44</sup>	-.54 <sup>62</sup>	2935
%wb	42	38	93	70	70	87	97	19	24	1	33

  

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	83	730	108		803	1171	3.50	3.32	49.5	5.4	11	12.0	12.3	3.72	3.85	A-AA	32.5	32.9

Tag	<b>0H01</b>	Pen		Tattoo	<b>HLKF 1A</b>
Contact	<b>DENNIS STONEMAN - HILLOCK FARMS</b>				
HC/Breed	<b>SIMMENTAL</b>				<b>905-765-2268</b>
Birthdate	<b>19Feb2013</b>	Colour			
SireSire	<b>CNS DREAM ON L186</b>				
Sire	<b>REMINGTON RED LABEL HR</b>				
Dam					
DamSire					

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	32	24	93	70	37	73	34	71	15	76	N/R
ABC Acc	0 <sup>PE</sup>	1.3 <sup>PE</sup>	53 <sup>PE</sup>	25 <sup>PE</sup>	27 <sup>46</sup>	79 <sup>PE</sup>	-.24 <sup>49</sup>	.35 <sup>43</sup>	-.17 <sup>43</sup>	1.10 <sup>62</sup>	N/R
%wb	63	54	76	31	29	56	51	54	19	45	

  

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A			864	1198	3.08	3.10	51.0	5.7	3	13.9	13.4	2.17	2.05	PD-A	38.0	37.2

Tag	<b>0H02</b>	Pen		Tattoo	<b>HFA 2A</b>
Contact	<b>BRYAN HEDLEY - HEDLEY FARMS</b>				
HC/Breed	<b>ANGUS</b>				<b>905-971-2653</b>
Birthdate	<b>16Feb2013</b>	Colour			
SireSire	<b>CONNEALY PRODUCT 568</b>				
Sire	<b>CONNEALY FINAL PRODUCT</b>				
Dam	<b>HARPREY BARBARA 5T</b>				
DamSire	<b>JUST-ROCK SOLID 621P</b>				

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	89	88	74		34	54	70	23	68	31	N/R
ABC Acc	5 <sup>PE</sup>	-4.1 <sup>PE</sup>	44 <sup>PE</sup>		26 <sup>42</sup>	70 <sup>PE</sup>	.67 <sup>47</sup>	-.23 <sup>41</sup>	.26 <sup>41</sup>	.17 <sup>61</sup>	N/R
%wb	66	63	75		11	36	12	54	4	11	

  

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A			993	1278	2.53	3.28	51.5	5.9	6	13.4	12.8	3.01	2.82	A	35.5	34.6

# Bull Evaluation EOT Report

## 201433 First Line Angus



Genetic Evaluations (26 Mar 2014)

Tag **0H03** Pen      Tattoo **HFA 3A**  
 Contact **BRYAN HEDLEY - HEDLEY FARMS**  
 HC/Breed **ANGUS**      **905-971-2653**  
 Birthdate **27Mar2013**      Colour  
 SireSire **CONNELY FREIGHTLINER**  
 Sire **FIRST LINE PETERBUILT 3T**  
 Dam **FIRST LINE BLACKBIRD**  
 DamSire **FIRST LINE BLUE PRIN**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab	82	84	51	67	34	41	60	4	95	97	
ABC Acc	4 PE	-3.6 PE	38 PE	24 PE	26 <sup>43</sup>	64 <sup>PE</sup>	.30 <sup>45</sup>	-.60 <sup>39</sup>	.65 <sup>39</sup>	2.07 <sup>59</sup>	N/R
%wb	46	52	49	52	11	24	1	10	85	97	

  

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	N/A	N/A		825	1108	2.61	3.16	51.5	6.4	4	11.5	11.8	5.05	5.25	AA-AAA	41.5	42.0

Tag **2347** Pen      Tattoo **IMP 2347A**  
 Contact **GLEN SMITH**  
 HC/Breed **ANGUS**      **519-647-2690**  
 Birthdate **12Jan2013**      Colour  
 SireSire  
 Sire  
 Dam  
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab					83		92	5	82	37	
ABC Acc					41 <sup>37</sup>		1.39 <sup>43</sup>	-.55 <sup>37</sup>	.47 <sup>37</sup>	.30 <sup>58</sup>	N/R
%wb					63		74	14	41	16	

  

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	79	N/A		923	1278	3.36	3.01	51.0	5.3	10	12.4	11.3	4.59	3.94	AA	37.5	35.3

Tag **A003** Pen      Tattoo **PHZ 3A**  
 Contact **GLEN SMITH**  
 HC/Breed **ANGUS**      **519-647-2690**  
 Birthdate **05Jan2013**      Colour  
 SireSire  
 Sire  
 Dam  
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab					87		91	12	79	62	
ABC Acc					43 <sup>37</sup>		1.36 <sup>43</sup>	-.41 <sup>37</sup>	.44 <sup>37</sup>	.79 <sup>58</sup>	N/R
%wb					71		70	29	32	51	

  

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	81	N/A		1063	1417	3.43	3.28	52.5	6.0	10	13.3	11.9	4.46	3.77	AA	39.5	37.1

Tag **A040** Pen      Tattoo **PHZ 40A**  
 Contact **GLEN SMITH**  
 HC/Breed **ANGUS**      **519-647-2690**  
 Birthdate **25Mar2013**      Colour  
 SireSire  
 Sire **VISION UNANIMOUS 1418**  
 Dam  
 DamSire

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$
%ab					59		80	5	94	57	
ABC Acc					33 <sup>37</sup>		1.00 <sup>43</sup>	-.57 <sup>37</sup>	.61 <sup>37</sup>	.72 <sup>58</sup>	N/R
%wb					31		39	12	79	43	

  

CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
	85	N/A		754	1099	3.17	3.11	48.0	4.7	7	12.0	12.3	4.88	5.05	AA-AAA	37.5	37.9



## Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	13	62	84	743	953	1035	1114	1231	1297	3.22	3.29	51.8	6.1	8	12.6	12.0	4.30	4.01	36.4
SIMMENTAL	1				864	960	1042	1134	1198	3.08	3.10	51.0	5.7	3	13.9	13.4	2.17	2.05	38.0
Group Averages	14	57	84	743	947	1029	1109	1224	1290	3.21	3.27	51.8	6.0	7	12.7	12.1	4.15	3.87	36.5

**Provision and Use of Information Produced by BIO** As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.