

# **Bull Evaluation Centre Report**

201503 BROEKLAND FARMS #2 (End of Test) Test Date: 28 Apr 2015 Days on Test:111

Centre Manager: WILLIAM & COLIN BROEK Start of Test Date: 07 Jan 2015

Phone #: 613-478-3505 End of Test Date: 28 Apr 2015

EMail: qailwm@hotmail.com Pick Up Date:

Address: 731 ALLORE RD,R.R. #3, TWEED, ON, K0K 3J0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

## A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

#### **Report Features**

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

#### Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	ΥG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

### Report Definitions and Legend

#### Herd Measurements (BIO believes in Whole Herd Recording)

**CE - Calving Ease** - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (Ibs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

#### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

**HH - Hip Height (inches) -** Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

**REA & AdjREA -** *Rib Eye Area (square inches)* - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

**GRADE -** %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

#### Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (Ibs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (Ibs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (Ibs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# **Bull Evaluation EOT Report**

## 201503 BROEKLAND FARMS #2



			•																		V	
				Genetic	Evalu	uation	ns (30	Apr 20	15)													X
Tag <b>LE2</b>	25	Pen	Tattoo	LELA 25B			CE	BW	WG		Milk	PWG	YO	3	FAT		REA	%IMF	SC	E	BIO\$	
Contact JOHN A. LEEFLANG - LEELA FARMS HC/Breed ANGUS 613-267-4429 Birthdate 29Mar2014, Twin Colour					%ab ABC %wb	Acc	42 <b>1</b> 22 6	42 <b>3</b> 50	99 <b>64</b> 99	40	98 <b>37</b> 11 98	31 <b>25</b> 43	87 <b>89</b> 79	42	98 <b>1.84</b> 4	15	30 <b>12</b> 39	95 <b>.64</b> 39	79 <b>1.14</b> 5		48 <b>3144</b> 40	
	EXAR D & K	NEALY CONSE SIGNIFICANT MISS NADINE LINE KODIAK	1769B 14X		CE	BW 86	AWW 863	WI 131	SOT 837	EOT	Γ ADG 0 3.12	WPDA 2.99	HH F	Frame 4.1	Fat	REA 14.4	1	%lmf /	•	rade AA	SC 36.5	AdjS0
				1 EL A 44 D			05	DW	WO		N ACIL:	DWO	\ \/C	,	ГАТ		DE A	0/11/45	00		DIO#	
Tag <b>LE4</b> Contact HC/Breed Birthdate SireSire	JOHN C	HAROLAIS	Tattoo - LEELA FARMS Colour	613-267-4429	%ab ABC %wb	Acc	CE	BW	WG		Milk	PWG 41 <b>28</b> 37 18	YG	j .	27 33 4	13	39 <b>01</b> 37	%IMF 57 .06 33 83	15		81O\$ N/R	
Sire					CE	BW	AWW	WI	SOT	EOT	Γ ADG	WPDA	нн г	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf G	rade	SC	AdjS0
Dam DamSire						N/A	N/A		651	105	0 3.52	2.85	53.0	7.0	3	12.6	12.6	3.02	3.00	Α	31.5	31.4
Tag <b>MR</b>	01	Pen	Tattoo	MRJ 1B			CE	BW	WG		Milk	PWG	YC	э	FAT		REA	%IMF	SC	E	BIO\$	
Contact HC/Breed Birthdate	10	00% LIMOUSIN	EDMOND - TRIPLE R L	IMOUSIN 613-372-2924	%ab ABC %wb	Acc		43 <b>4</b> PE 25	8 <b>25</b> 20	PE		6 <b>12</b> 41 50	5 <b>36</b> 32	PE	12 <b>53</b> 4	<b>1</b> 5	60 . <b>26</b> 39	31 08 39	9 <b>78</b> 5	9	N/R	
Dam	BIT B' TRIPL	ISON POLLED Y BIT ZEB E R POLL LIBE	3Y 4X		CE	BW 80	AWW N/A	WI	SOT 646	EOT		WPDA 2.62	НН F	Frame 6.9		REA 13.6	-	%lmf /	-	rade D-A	SC 32.0	AdjSo
DamSire		V POLLED EXC																			2104	
Tag <b>MR</b> Contact		Pen	Tattoo E <b>DMOND - TRIPLE R</b> L	MRJ 2B	04.1		CE	BW	WG		Milk	PWG	YO	3	FAT		REA	%IMF	SC		BIO\$	
HC/Breed Birthdate SireSire	98 16Apr	8% LIMOUSIN	Colour	613-372-2924	%ab ABC %wb	Acc			12 <b>27</b> 28	PE		7 <b>13</b> 40 55	40 40	PE	4 <b>72</b> 4 12	15	96 . <b>79</b> 39 94	10 <b>21</b> 39 53	7 <b>90</b> 5 54	9	N/R	
Sire	RLF Z	OLTAR 729Z OLYMPIC SPIRI			CE	BW 81	AWW N/A	WI	SOT 694	EOT		WPDA 2.84	НН F	Frame 6.8		REA	- 1	%lmf /	•	rade D-A	SC 31.5	AdjS0
DamSire	KAU	P'S POLLED H	AVANA			01	IN/A		694	107	2 3.39	2.04	53.0	0.0	2	15.1	14.8	2.10	2.09 P	D-A	31.3	01.1
Tag <b>SJ0</b>		Pen	Tattoo	SJRB 5B			CE	BW	WG		Milk	PWG	YO	à	FAT		REA	%IMF	SC	E	BIO\$	
HC/Breed Birthdate	SI 04Apr	HORTHORN 2014	Colour	613-256-3042	%ab ABC %wb		14 - <b>2</b> 27 26	32 . <b>5</b> 55 45	27 <b>33</b> 76	44	39 <b>20</b> 16 25	48 <b>30</b> 42 74	38 <b>63</b> 79	43	63 . <b>32</b> 4	16	1 86 40	71 . <b>29</b> 40 64	3 -1.31 6	o   1	2 1 <b>080</b> 14	
SireSire Sire		A CEDAR FIRST ERRY MIKEY F			CE	BW	AWW	WI	SOT	EOT	Γ ADG	WPDA	НН Е	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf G	rade	SC	AdjS0
Dam DamSire	SJRB BAM	9Y BERRY MIKEY	FB 19W		U	88	530	102	598	101	1 3.60	2.60	50.5	5.4		10.6	1	3.11	2.92	Α	29.0	28.1

01May2015 Page: 4 of 6

## **Bull Evaluation EOT Report**

#### **201503 BROEKLAND FARMS #2**



Genetic Evaluations (30 Apr 2015)

			denetic	Lvaiu	alion	3 (30 /	7pi 20	10)													
Tag SJ07	Pen	Tattoo	SJRB 7B		(	CE	BW	WG	1	Лilk	PWG	Y	′G	FAT		REA	%IMF	S	С	BIO\$	
		ARTLETT - LOCUST VI		%ab	- 2	27	40	5		52	6	4	4	67		3	69	1	9	1	
	SHORTHORN		613-256-3042	ABC A	cc .	<b>-1</b> 20	<b>2</b> 50	22	39 2	<b>22</b> 9	<b>11</b> 40	33	<b>3</b> 40	.48	44 -	<b>.62</b> 38	.24	81	7 58	549	
Birthdate <b>06Ap</b>	r2014	Colour		%wb	5	51	57	27	4	43	4	7	7	62		14	39	2	4	3	
SireSire PRO	OSPECT HILL I	1 L RUFUS 5R																			
Sire PAIN	TEARTH RAMA	\ 53U		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam LOCU	JST VIEW FB N	IANGO 7Z		11	82	539	103	673	1006	2.94	2.60	52.0	6.2	5	11.3	10.9	2.92	2.75	Δ	32.5	31.7
DamSire BAN	MBERRY MIKE	Y FB 19W		J	02	559	103	0/3	1000	2.34	2.00	JZ.U	0.2	5	11.3	10.9	2.32	2.73	^	32.0	J

#### **201503 BROEKLAND FARMS #2**

Genetic Evaluations (30 Apr 2015)

## **Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	1	100	86	863	837	925	1022	1118	1180	3.12	2.99	48.0	4.1	11	14.4	13.7	4.39	4.06	36.5
CHAROLAIS	1				651	748	852	946	1050	3.52	2.85	53.0	7.0	3	12.6	12.6	3.02	3.00	31.5
LIMOUSIN	2		81		670	812	908	998	1049	3.36	2.73	53.3	6.9	3	14.4	13.9	2.37	2.25	31.8
SHORTHORN	2	100	85	535	636	741	840	919	1009	3.27	2.60	51.3	5.8	5	11.0	10.6	3.02	2.84	30.8
Group Averages	6	50	83	644	683	796	895	983	1058	3.32	2.75	51.7	6.1	5	13.0	12.5	3.03	2.87	32.2

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information are used in relation to such services.

01May2015 Page: 6 of 6