

Bull Evaluation Centre Report

201514 POST	THAVEN FARMS #2	(End of Test)	Test Date: 01 May 2015 Days on Test:112
Centre Manager:	E. JOHN POST		Start of Test Date: 09 Jan 2015
Phone #:	519-846-9320		End of Test Date: 01 May 2015
EMail:	ejpost@posthavenlimousin.com		Pick Up Date:
Address:	7396 18 SIDERD.,R.R. #2 , ALMA	, ON , N0B 1A0	
Ration Statement:			

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.

3. If you have questions on data submission, please contact our office.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait. Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds. Within breed Percentiles (%WB) allow you to compare purebred animals within its breed. Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th

percentile is in the top 20%, etc.

 Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
 market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
 for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (Ibs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - *Rib Eye Area (square inches)* - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %*IMF* expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (Ibs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (Ibs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (Ibs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - *Rib Eye Area ABC (square inches)* - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201514 POSTHAVEN FARMS #2



				Genetic	Evalu	atior	ns (05	May 20)15)													
Tag 000	3	Pen	Tattoo	ALM 3B			CE	BW	WG	ſ	Vilk	PWG	Y	G	FAT		REA	%IMF	: 5	SC	BIO\$	
Contact HC/Breed Birthdate SireSire	P 1 09Ma	00% LIMOUSI	Colour	519-846-9320	%ab ABC A %wb	ACC	19 -2 PE 8	33 .4 53 16	8 24 19	PE		2 3 44 14	2 27 14	PE	2 82 5	46	83 . 50 40 60	3 30 4 20		3 22 60 28	N/R	
Sire	CF JI CED/	M DANDIE 216 AR PATCH PP	U DIANA		CE	вw 92	AWW N/A	WI	SOT 906	EOT 1267	ADG 3.12		НН 55.0	Frame 7.4		REA 17.8	AdjREA	. %Imf 1.85	Adj%Imf 1.62	Grade PD	SC 31.5	AdjS0 29.6
Tag 000	8	Pen	Tattoo	ALM 8B			CE	BW	WG	1	Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact	E. JO P 9 05Ap	7% LIMOUSIN r2014	STHAVEN FARM Colour LED URBAN COWBOY	519-846-9320	%ab ABC A %wb		32 0 pe 19	38 .0 50 20	25 32 51	PE		1 -2 43 6	3 30 20	PE	42 - .15 83	47	98 .95 42 98	11 20 4 57		1 53 61 13	N/R	
Sire	POST CED/		ED YELLOWSTONE HANNAH		CE	ВW 97	AWW	WI	SOT 1007	EOT 1348	ADG 2.96		НН 56.0	Frame 8.2	-	REA 19.2	,	%Imf 2.18	Adj%Imf 2.04	Grade PD-A		AdjS
Tag 001		Pen	Tattoo	ALM 10B			CE	BW	WG	,	Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact IC/Breed Birthdate	E. JO P 1 02Ma	HN POST - PO 00% LIMOUSIN y2014	STHAVEN FARM N Colour	519-846-9320	%ab ABC A %wb	ACC	45 1 PE 35	67 -2.1 52 57	10 26 23			1 - 4 44 4	1	PE	4 75 11	47	89 .60 41 77	3 30 4 18	1:	15 38 61 34	N/R	
	CF JI CED#	FF POLLED HU M DANDIE 216 AR PATCH PP DAR PATCH PC	U HOLLY		CE	ВW 84	AWW N/A	WI	SOT 829	EOT 1169	ADG 2.97		НН 53.5	Frame 7.3		REA 18.0		%Imf 1.77	Adj%Imf 1.77	Grade PD	SC 33.5	AdjS 33.
Tag 001	1	Pen	Tattoo	ALM 11B			CE	BW	WG	1	Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
HC/Breed Birthdate	P 1 05Ma	00% LIMOUSIN y2014	Colour	519-846-9320	%ab ABC A %wb		69 3 PE 69	71 -2.4 52 63	6 22 15	PE		1 -10 44 1	1 13 3	PE	63 .34 97	47	84 . 52 41 63	13 18 4 64	1'	19 19 61 91	N/R	
	POST CED/		LED URBAN COWBOY ED YELLOWSTONE DAYDREAM		CE	BW 80	AWW N/A	WI	SOT 826	EOT 1122	ADG 2.62		НН 53.5	Frame 7.3		REA 16.4	-	%Imf 2.15	Adj%Imf 2.17	Grade PD-A	_	AdjS
Tag 001		Pen	Tattoo	ALM 12B			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF		SC	BIO\$	
Contact HC/Breed Birthdate	E. JO P 1 07Ma	HN POST - PO 00% LIMOUSIN y2014	STHAVEN FARM N Colour	519-846-9320	%ab ABC A %wb	ACC	55 2 PE 48	60 - 1.6 50 47	17 29 38			3 7 43 28	5	PE	58 . 17 95	47	71 . 37 41 34	17 15 4 77	1 -1 .'	5 5 14 61 36	N/R	
SireSire Sire			LED URBAN COWBOY ED YELLOWSTONE		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	ΗΗ	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjS
		AR"S PP DICKI STHAVEN POL	ERY DOCK LED SELL-OUT			85	N/A		662	1031	3.35	2.87	53.5	7.3	7	15.7	15.9	2.40	2.44	PD-A	30.5	30.7

Bull Evaluation EOT Report

201514 POSTHAVEN FARMS #2



				Genetic	Evalu	ation	is (05	May 20	015)													
Tag 006	7	Pen	Tattoo	PEJ 67B			CE	BW	WG	1	Vilk	PWG	Y	G	FAT		REA	%IMF	: 9	SC	BIO\$	
	P 1	00% LIMOUSIN	Colour	519-846-9320	%ab ABC A %wb	ACC		20 1.7 49 6	29 33 57	PE		37 27 40 92	33 61 84	PE	44 12 84	45	94 . 72 39 89	20 14 3 83		3 29 60 24	N/R	
Sire	1-WA	KJAER GET IT Y SOUTHERN I AY GOLDEN PI			CE	BW 99	AWW N/A	WI	SOT 931	EOT 1367	ADG 3.83	WPDA 3.55	нн 56.0	Frame 8.2		REA 17.8	AdjREA	%Imf 2.60	Adj%Imf 2.46	Grade PD-A	_	AdjSC 30.3
Tag 006	8	Pen	Tattoo	PEJ 68B			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	: 9	SC	BIO\$	
Contact	E. JC P 1	00% LIMOUSIN	Colour	519-846-9320	%ab ABC A %wb	ACC		28 .8 50 13	46 38 75	PE		39 28 42 93	43 65 90	PE	44 11 85	47	97 .83 41 95	11 20 4 58	1(24 01 60 95	N/R	
Sire Dam	POS	KJAER GET IT THAVEN POLLE			CE	ВW 95	AWW	WI	SOT 896	EOT 1323	ADG 3.80	WPDA 3.46	НН 57.5	Frame 9.0		REA 18.6	-	%Imf 1.92	Adj%Imf 1.83	Grade	_	AdjSC 34.4
DamSire							05		14/0		A:11.	DWO		0	EAT		DEA	0/ 10.45	-		DIOC	
HC/Breed Birthdate	E. JC P 1	00% LIMOUSIN	Tattoo THAVEN FARM Colour	PEJ 70B 519-846-9320	%ab ABC A %wb		CE	BW 18 1.9 48 5	WG		Vilk	PWG 51 31 40 96	Y	G	FAT 21 40 55	45	REA 97 .85 40 96	%IMF 25 11 4 88	•0:	SC 15 36 60 35	BIO\$	
	POS	KJAER GET IT THAVEN POLLE STHAVEN POLL	D UNBELIEVABLE ED SELL-OUT		CE	BW 80	AWW N/A	WI	SOT 769	EOT 1215	ADG 4.03	WPDA 3.21	НН 52.5	Frame 6.6		REA 18.7	AdjREA 18.2	%lmf 2.68	Adj%Imf 2.58	Grade PD-A		AdjSC 33.5
Tag 007	2	Pen	Tattoo	PEJ 72B			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	: 5	SC	BIO\$	
HC/Breed Birthdate	P 1 27Ap	00% LIMOUSIN	Colour	519-846-9320	%ab ABC A %wb	ACC	20 -2 PE 8	32 . 5 56 15	12 27 28	PE		1 -2 44 5	2 25 12	PE	1 90 4 2	46	50 .14 41 8	5 27 4 29		3 27 61 25	N/R	
	CF JI POS	M DANDIE 216U MAVEN SURE OPHIN	J		CE	BW 85	AWW N/A	WI	SOT 658	EOT 988	ADG 2.96	WPDA 2.68	НН 53.5	Frame 7.2		REA 14.3	-	%Imf 2.21	Adj%Imf 2.19	Grade	_	AdjSC 29.9
Tag 007		Pen	Tattoo	PEJ 73B			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	: ,	SC	BIO\$	
Contact HC/Breed Birthdate	E.JC P 1 03Ma	DHN POST - POS 00% LIMOUSIN 1y2014	Colour	519-846-9320	%ab ABC A %wb	ACC	63 2 PE 59	66 -2.0 50 55	19 30 40			1 2 43 12	4	PE	35 24 75	47	73 . 39 41 39	18 15 4 80	1:	15 37 61 35	N/R	
	POS	THAVEN POLLE	ED URBAN COWBOY		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	ΗΗ	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
Dam DamSire		GROVE XANDR STHAVEN POLL	-			82	N/A		722	1067	3.05	2.94	53.0	7.0	5	15.6	15.7	2.46	2.47	PD-A	33.0	33.1

Bull Evaluation EOT Report

201514 POSTHAVEN FARMS #2



Genetic Evaluations (05 May 2015)

Tag 0074	1 Pen	Tattoo	KUN 15B		CE	В	3W	WG	N	1ilk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
Contact L HC/Breed Birthdate 1 SireSire	WAGYU	KUNTZIDE WAGYU	519-367-2913	%ab ABC Ac %wb	c						1 -15 37			67 .50 4	3 -1	1 . 22 37	75 . 36 3	7 -1.2	3 7 58	N/R	
Sire C	CHR SHIGE 250T			CE	BW A	ww	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
Dam V DamSire	/T MS TENZAKU	RA W06			65 N	N/A		581	862	2.55	2.10	50.0	5.0	7	11.2	10.5	4.56	4.06	AA	30.0	28.4

Bull	Eva	luation	EOT	Report
------	-----	---------	-----	--------

201514 POSTHAVEN FARMS #2



			Genetic	Evalu	uatior	ıs (05	May 20	015)													
Tag 0004	Pen	Tattoo	ALM 4B			CE	BW	WG	1	Milk	PWG	Y	′G	FAT		REA	%IM	FS	SC	BIO\$	
		OSTHAVEN FARM		%ab		45	66	4													
	100% LIMOUS		519-846-9320	ABC	Acc	1 PE	-2.0 54	21	PE											N/R	
	lar2014	Colour		%wb		35	55	11													
		HUMMER 530P			_										_					00	A.1'O
	JIM DANDIE 2 [°]			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjS
		OLLED PATTY			85	N/A		745													
DamSire EN	MAIL 55A																				
Tag 0071	Pen	Tattoo	PEJ 71B			CE	BW	WG	1	Milk	PWG	Y	′G	FAT		REA	%IM	FS	SC	BIO\$	
Contact E. J	OHN POST - P	OSTHAVEN FARM		%ab			16														
HC/Breed P	100% LIMOUS	SIN	519-846-9320	ABC	Acc		2.1 48													N/R	
Birthdate 17A	pr2014, Twin	Colour		%wb			5														
SireSire					_	_									_			_			
Sire ENG	GKJAER GET I	IT		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	нн	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjS
		LED UNBELIEVABLE			80	N/A		785	1048	2.31	2.77	53.5	7.1	4	15.5	15.1	2.47	2.38	PD-A	30.0	29.

201514 POSTHAVEN FARMS #2



Genetic Evaluations (05 May 2015)

Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
LIMOUSIN	10		88		821	930	1029		1190	3.27	3.15	54.4	7.6	5	17.2	16.8	2.22	2.16	32.3
WAGYU	1		65		581	642	730		862	2.55	2.10	50.0	5.0	7	11.2	10.5	4.56	4.06	30.0
Group Averages	11		86		799	904	1002		1160	3.20	3.06	54.0	7.3	5	16.7	16.2	2.43	2.33	32.0
Unofficial	2		83		765	869	964		1048	2.31	2.77	53.5	7.1	4	15.5	15.1	2.47	2.38	30.0

Note: Measurements from Unofficial Bulls are not included in the Group Averages above.

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.