

# **Bull Evaluation Centre Report**

201609 Bar 5 Bulls (End of Test) Test Date: 15 Jan 2016 Days on Test:121

Centre Manager: RON NOLAN Start of Test Date: 16 Sep 2015

Phone #: 519-986-1330 End of Test Date: 15 Jan 2016

EMail: bar5admin@xplornet.com Pick Up Date:

Address: 636077 HOL-EUP TW,R.R. #3, MARKDALE, ON, NOC 1H0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

### A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

### **Report Features**

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added
information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to
calculate the ABC and are therefore the most current evaluations in the industry.

### Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	<b>PWG</b>	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

### Report Definitions and Legend

#### Herd Measurements (BIO believes in Whole Herd Recording)

**CE - Calving Ease** - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (Ibs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

**WI - Weaning Index -** Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

#### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

**HH** - *Hip Height (inches)* - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

**REA & AdjREA -** *Rib Eye Area (square inches)* - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

**GRADE -** %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

### Genetic Evaluations - Across Breed EPDS (ABCs)

**CE - Calving Ease ABC** - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (Ibs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (Ibs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (Ibs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# **Bull Evaluation EOT Report**

## 201609 Bar 5 Bulls



				Genetic	Evalu	atior	ns (29	Jan 20	16)											•	<b>SYS</b>	
Tag 000	1	Pen	Tattoo	CO 302B			CE	BW	WG	Mil	lk	PWG	Y	G	FAT		REA	%IMF	SC	;	BIO\$	
Contact RON NOLAN - BAR 5 STOCK FARMS HC/Breed H SIMMENTAL Birthdate 29Nov2014 Colour SireSire				519-986-1330	%ab ABC A %wb	Acc	56 <b>2</b> 32 89	48 <b>9</b> 52 85	75 <b>46</b> P 40	79 <b>27</b> 51	PE	11 <b>17</b> 47	35 <b>63</b> 14	PE	19 <b>47</b> 9	51	60 . <b>31</b> 47	21 <b>14</b> 47 27	68 . <b>85</b> 36	63	N/R	
Sire		930X 990Z			CE	80		WI		EOT 1160	ADG 2.66	WPDA 2.82	НН 49.0	Frame 4.4		REA 14.4	AdjREA 13.3		1.63	Grade PD	SC 36.5	AdjSC 34.8
Tag <b>000</b>	2	Pen	Tattoo	CO 1303B			CE	BW	WG	Mil	lk	PWG	Y	G	FAT		REA	%IMF	SC		BIO\$	
Contact	RON I H S 22Dec	IMMENTAL	STOCK FARMS  Colour 4E	519-986-1330	%ab ABC A %wb	Acc	92 <b>6</b> 14 99	96 <b>-5.9</b> 44 99	90 <b>52</b> 3 66	72 3 <b>26</b> 40	6	7 <b>14</b> 39 2	41 <b>66</b> 18	36	27 <b>37</b> 31	43	50 . <b>21</b> 37 27	32 <b>08</b> 37 49	66 . <b>82</b> 34	58	35 <b>2875</b> 36	
Sire	ANCH	OR T LEGEND			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf A	dj%lmf	Grade	SC	AdjSC
Dam DamSire		ONS EVY THBILT MOLSO	N 21M		U	60	576	ET	780	1095	2.58	2.81	50.0	5.2	3	13.5	12.9	2.26	2.12	PD-A	35.0	34.1
Tag <b>000</b>	3	Pen	Tattoo	CO 401C			CE	BW	WG	Mil	lk	PWG	Y	G	FAT		REA	%IMF	SC		BIO\$	
HC/Breed Birthdate SireSire	H S 01Jan LEE	IMMENTAL	STOCK FARMS Colour	519-986-1330	%ab ABC A %wb	Acc	59 <b>2</b> 28 91	62 - <b>1.9</b> 57 92	97 <b>60</b> 4 89	30 18 7	7	83 <b>41</b> 51 79	95 <b>101</b> 87		18 <b>48</b> 19	56 REA	37 . <b>04</b> 51 9	57 . <b>04</b> 51 88	92 <b>1.54</b> 79	65	55 <b>3363</b> 54	AdjSC
	RAAP	N SKRAAP MA SUIP CHEVA 01	ARDA		U	75		ET		1205			50.0	5.3		12.3	12.0		3.08	A	38.0	37.5
Tag 000	4	Pen	Tattoo	CO 402C			CE	BW	WG	Mil	lk	PWG	Y	G	FAT		REA	%IMF	SC		BIO\$	
	H S 02Jan	IMMENTAL	S STOCK FARMS  Colour  IG	519-986-1330	%ab ABC A %wb	Acc	19 - <b>2</b> 28 43	32 . <b>3</b> 57 69	99 <b>68</b> 4 96	30 18 7	7	93 <b>47</b> 51 90	99 <b>115</b> 96	49	13 <b>56</b> 11	56	69 . <b>40</b> 51 56	31 <b>09</b> 51 47	80 <b>1.14</b> 54	65	72 <b>3841</b> 71	
	RAAP	POORT BRITS N SKRAAP MA SUIP CHEVA 01	ARDA		CE H	90	662	WI		EOT 1255	ADG 3.86	3.32	НН 52.0	Frame 6.3		REA 15.4	AdjREA 15.0		1.98	Grade PD-A	36.0	AdjSC 35.5
Tag <b>000</b>	5	Pen	Tattoo	CO 403C			CE	BW	WG	Mil	lk	PWG	Y	G	FAT		REA	%IMF	SC		BIO\$	
	H S 09Jan	IMMENTAL	STOCK FARMS  Colour	519-986-1330	%ab ABC A %wb	Acc	40 <b>1</b> 28 77	34 . <b>1</b> 57 72	93 <b>54</b> 4 74	30 5 <b>18</b> 7	7	67 <b>36</b> 51 63	87 <b>90</b> 71	49	16 <b>52</b> 16	56	37 . <b>04</b> 51	43 <b>03</b> 51 69	31 . <b>16</b>	65	32 <b>2774</b> 33	
Sire	LEEU	POORT BRITS N SKRAAP MA			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA		Frame	Fat	REA	AdjREA	%Imf A	dj%lmf	Grade	SC	AdjSC
		SUIP CHEVA 01	ANDA		U	85	498	ET	662	1070	3.41	2.88	48.0	4.4	3	12.2	12.1	2.50	2.46	PD-A	31.0	30.8

Page: 4 of 6 09Feb2016

# Bull Evaluation EOT Report

# 201609 Bar 5 Bulls



#### Genetic Evaluations (29 Jan 2016)

			Ochello	Lvaiu		3 (23 (	Jan 20	10)													
Tag <b>0006</b>	Pen	Tattoo	CO 1401C		С	CE	BW	WG	1	Milk	PWG	Y	'G	FAT		REA	%IMF	S	С	BIO\$	
	NOLAN - BAR ( SIMMENTAL	5 STOCK FARMS	519-986-1330	%ab ABC A	.cc _	8 - <b>4</b> 39	13 <b>2.5</b> 59	98 <b>64</b>		98 <b>36</b> 33	86 <b>43</b> 51	97	7 <b>3</b> 50	61 . <b>16</b>	53	83 . <b>56</b> 48	31 <b>09</b> 4	8 <b>1.5</b>	_	79 <b>4083</b>	
Birthdate 21Jai SireSire BAI	n2015 R 5 SA MR OPT	Colour IMAL 447L		%wb		16	31	93		92	83	91		91		82	48	7		77	
Sire BAR	5 SA HARRACI	1 801P		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	sc	AdjSC
	F PLD ZENA 418 AF ZEGNA 230F			Е	95	608	ET	766	1215	3.82	3.38	50.5	5.8	5	14.9	15.1	2.07	2.10	PD-A	36.5	36.7

### 201609 Bar 5 Bulls



Genetic Evaluations (29 Jan 2016)

### **Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
SIMMENTAL	6	67	81	589	763	889	1020	1086	1167	3.32	3.06	49.9	5.3	3	13.8	13.4	2.32	2.23	35.5
Group Averages	6	67	81	589	763	889	1020	1086	1167	3.32	3.06	49.9	5.3	3	13.8	13.4	2.32	2.23	35.5

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.

09Feb2016 Page: 6 of 6