

# **Bull Evaluation Centre Report**

**201613 Dusty Acre Blondes** 

(End of Test) Test Date

Test Date: 29 Mar 2016 Days on Test: 112

Centre Manager: SHELLIE WOLFE Start of Test Date: 08 Dec 2015

Phone #: 250-784-4628 End of Test Date: 29 Mar 2016

EMail: dustyacreblondes@outlook.com Pick Up Date:

Address: RR 2, SITE 4, COMP 1, , DAWSON CREEK , BC , V1G 4E8

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

## A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

### Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added
information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to
calculate the ABC and are therefore the most current evaluations in the industry.

### Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
  market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
  for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

### Report Definitions and Legend

### Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

#### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

% IMF & Adj%IMF - Percent Intramus cular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal hald too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

#### Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (s quare inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

% IMF - Intramus cular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# **Bull Evaluation EOT Report**

# 201613 Dusty Acre Blondes



			Genetic	Evalu	atior	ns (02	Mar 20	)16)											•	-	TOT
Tag <b>0006</b> F	Pen	Tattoo	DAB 6C			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
Contact SHELLII HC/Breed P BLC Birthdate 17Apr20 SireSire WEST	NDE D-AQU	250-784-4628	%ab ABC A %wb		75 <b>3</b> 34 94	69 <b>-2.4</b> 58 88	61 <b>42</b> 78	48	48 <b>22</b> 22 71	2 <b>4</b> PE 24	11 <b>46</b> 56	PE	1 <b>-1.18</b> F 43	PE	75 . <b>46</b> PE 28	1 36 P 24	<b>□ -1.2</b>	4 20 PE	N/R		
Sire WEST W	/INDS ZEKE /INDS ZING 6	152Z		CE	BW 82	AWW 591	WI 94	SOT 633	EOT 968	ADG 3.09	WPDA 2.79	НН	Frame	e Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC 29.0	AdjSC 29.7
DamSire WEST	WINDS WILL	IE 3W			02	331	34	000	300	3.03	2.13									20.0	
Tag <b>0033</b> F	Pen	Tattoo	DAB 33C			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
Contact SHELLII HC/Breed P BLC Birthdate 11Apr20	NDE D-AQU		250-784-4628	%ab ABC A %wb		30 <b>-1</b> 34 54	42 <b>5</b> 60 61	88 <b>51</b> 95	49	28 <b>18</b> 24 52	10 <b>16</b> PE 81	43 <b>67</b> 92	PE	1 <b>-1.05</b> F 78	PE	87 <b>.62</b> PE 53	1 <b>36</b> P 24	E <b>-1.3</b>	2 8 PE	N/R	
	AS POLLED 1 n Pld Jail Bre			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	a Fat	DΕΔ	AdjREA	%Imf	∆di%lmf	Grade	SC	AdjSC
Dam WEST W	INDS XYLOF WINDS SAN	PHONE		U	89	635	101	754		2 3.10	3.12		Tame	5 Tat	KLA	Aujitea	701111	Auj /oiiiii	Orace	32.0	32.4
Tag <b>0074</b> F	Pen	Tattoo	DAB 74C			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	5	SC	BIO\$	
Contact SHELLII HC/Breed P BLC Birthdate 03Feb20	250-784-4628	%ab ABC A %wb		14 - <b>3</b> 34 24	19 <b>1.6</b> 60 23	85 <b>49</b> 92	50	41 <b>20</b> 25 66	7 <b>13</b> 49 69	34 <b>62</b> 88		1 <b>-1.04</b> F 78	PE	85 . <b>60</b> PE 49	1 36 P 24	E <b>-1.4</b>	2 6 PE 60	N/R			
Sire DeeBrain WEST W	AS POLLED I I PId Jail Bre /INDS UNIQU WINDS RAIN	JE 74		CE	BW 98	AWW 574	WI 103	SOT 831	EOT		WPDA 2.92	НН	Frame	e Fat	REA	AdjREA	%lmf	Adj%Imf	Grade	SC 30.0	AdjSC 28.0
Tag <b>0129</b> F	Pen	Tattoo	DAB 129C			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	5	SC SC	BIO\$	
Contact SHELLII HC/Breed P BLC Birthdate 08Feb20	NDE D-AQU 115	ITAINE Colour Blonde	250-784-4628	%ab ABC A %wb		23 - <b>1</b> 35 43	25 <b>1.0</b> 61 33	86 <b>50</b> 93	51	61 <b>24</b> 22 82	5 <b>11</b> 48 56	31 <b>60</b> 87	50	1 <b>-1.05</b> F	PE	87 . <b>62</b> PE 53	1 36 P 24	<b>□ -1.3</b>	2 8 PE	N/R	
	AS POLLED T n Pld Jail Bre			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	e Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
_	/INDS XAVIE WINDS SAN			U	101	627	113	856	1270	3.70	3.06									33.0	31.2
Tag <b>0133</b> F	Pen	Tattoo	DAB 133C			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	SC	BIO\$	
Birthdate 05Feb20	NDE D-AQU 015	ITAINE Colour Blonde	250-784-4628	%ab ABC A %wb		13 - <b>3</b> 31 21	22 <b>1.3</b> 59 28	39 <b>36</b> 57	49	28 <b>18</b> 25 52	1 -1 48 7	4 <b>35</b> 26		1 <b>-1.14</b> F 56	PE	84 . <b>58</b> PE 45	2 <b>33</b> P 51	E <b>-1.1</b>	4 <b>4</b> PE	N/R	
_	WINDS SAN <sup>*</sup> /INDS ZEUS :			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	e Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	SC	AdjSC
	INDS XRATE			U	98	522	94	724	1022	2.58	2.44									31.0	29.1

04Apr2016 Page: 4 of 6

# **Bull Evaluation EOT Report**

## 201613 Dusty Acre Blondes



### Genetic Evaluations (02 Mar 2016)

			Conolio	Lvaiac	200110	J (UZ 1	iviai 20	,,,,,													_
Tag <b>0341</b>	Pen	Tattoo	DAB 341C		С	E	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	C	BIO\$	
HC/Breed P E Birthdate 28Jan	BLONDE D-AG n2015	Colour Blonde	250-784-4628	%ab ABC A %wb	cc	7 <b>4</b> 34 1	7 <b>3.5</b> 60 7	69 <b>44</b> 9 84	50 2	57 <b>23</b> 22 80	9 <b>15</b> 48 77	28 <b>59</b> 84	49 -	1 • <b>1.05</b> F 78	PE .	87 . <b>62</b> PE 53	1 <b>36</b> PI 24	2 <b>-1.3</b> 8 33		N/R	
	SHAS POLLE Bran Pld Jail E			CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdiREA	%lmf	Adj%lmf	Grade	SC	AdjSC
Dam WES	T WINDS WE	NDY 341		U	98	580	105	840	1255	-	2.95	1	Tamo	, at	1,2,1	rajrtert	7011111 /	10j /011111	Ciduc	32.0	29.8

### 201613 Dusty Acre Blondes



Genetic Evaluations (02 Mar 2016)

# **Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
BLONDE D-AQUITAINE	6	100	94	588	773	858	942	1050	1141	3.31	2.88								31.2
Group Averages	6	100	94	588	773	858	942	1050	1141	3.31	2.88								31.2

Provision and Use of Information Produced by BIO As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedignee used in calculations is provided by the client. The information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidence only to beef producers. The purchaser and/or user in relation to such services.

This clause shall be a complete defense to any dainy be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any dainy brought by the purchaser and/or user in relation to such services.

04Apr2016 Page: 6 of 6