



Bull Evaluation Centre Report

201622 KENILWORTH #1

(End of Test)

Test Date: **05 Mar 2016** Days on Test: **112**

Centre Manager: **DOUG MCNABB**

Start of Test Date: **14 Nov 2015**

Phone #: **519-323-2278**

End of Test Date: **05 Mar 2016**

EMail: **demcnabb@hotmail.com**

Pick Up Date:

Address: **9206 HWY. 6, RR #2 , KENILWORTH , ON , N0G 2E0**

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.

3. If you have questions on data submission, please contact our office.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
 - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
 - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
- Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.
- Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (lbs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (lbs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (lbs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (lbs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/Mothering ability ABC (lbs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (square inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

%IMF - Intramuscular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201622 KENILWORTH #1



Tag	0041	Pen	Tattoo	WIT 6C
-----	------	-----	--------	--------

Contact JOEL AND IRENE THOMAS - SUNRISE ANGUS
 HC/Breed ANGUS 519-925-5661
 Birthdate 18Jan2015 Colour
 SireSire
 Sire LSF 258M
 Dam WIT 15U
 DamSire CONNEALY LEAD ON

%ab	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
ABC Acc		81 -3.3 PE	21 31 PE		23 23 41	20 54 PE	67 .37 45	14 -.33 40	82 .43 40	72 .94 60	N/R						
%wb		49	17		5	8	2	44	27	68							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	90	740		945	1182	2.17	2.87	52.0	5.9	4	12.3	11.4	3.79	3.36	A-AA	38.0	36.3

Tag	0042	Pen	Tattoo	WIT 4C
-----	------	-----	--------	--------

Contact JOEL AND IRENE THOMAS - SUNRISE ANGUS
 HC/Breed ANGUS 519-925-5661
 Birthdate 10Jan2015 Colour
 SireSire SANDY BAR ADVANTAGE 43M
 Sire HF KODIAK 5R
 Dam WIT 1A
 DamSire LSF 258M

%ab	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
ABC Acc	93 6 PE	93 -5.1 PE	47 38 PE	55 23 PE	65 35 45	59 74 PE	73 .63 45	24 -.14 39	86 .48 39	98 2.05 60	N/R						
%wb	79	80	44	44	37	41	8	75	43	98							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	89	638		915	1220	2.77	2.90	52.0	5.8	5	13.7	12.5	4.07	3.54	AA	42.0	40.0

Tag	0043	Pen	Tattoo	WIT 11C
-----	------	-----	--------	---------

Contact JOEL AND IRENE THOMAS - SUNRISE ANGUS
 HC/Breed ANGUS 519-925-5661
 Birthdate 27Jan2015 Colour
 SireSire
 Sire LSF 258M
 Dam WIT 15W
 DamSire

%ab	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
ABC Acc					8 15 38		69 .45 44	20 -.20 38	73 .28 38	53 .60 59	N/R						
%wb					1		3	65	5	39							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	96	740		910	1143	2.02	2.84	53.0	6.5	4	13.4	12.6	2.95	2.67	A	37.0	35.6

Tag	0045	Pen	Tattoo	BMY 2C
-----	------	-----	--------	--------

Contact MIKE YOUNG
 HC/Breed CHAROLAIS 705-927-0347
 Birthdate 29Jan2015 Colour
 SireSire
 Sire JSR 5X
 Dam MFH 8W
 DamSire

%ab	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
ABC Acc					23 23 37		15 -.52 43	10 -.40 37	68 .18 37	64 .80 58	N/R						
%wb					7		21	1	97	78							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	87	563		825	1089	2.37	2.72	54.0	7.1	3	10.5	10.0	3.84	3.50	A-AA	38.0	36.7

Tag	0046	Pen	Tattoo	DAH 18C
-----	------	-----	--------	---------

Contact KEVIN BULTENA
 HC/Breed SIMMENTAL 519-766-5154
 Birthdate 31Jan2015 Colour
 SireSire
 Sire ZDS 52X
 Dam DAH 7U
 DamSire

%ab	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
ABC Acc					19 21 40	30 60 37	5 -.74 45	22 -.18 39	10 -.21 39	45 .47 59	N/R						
%wb					16	17 6	11	4	9	14							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	97	627		700	981	2.44	2.46	51.0	5.6	2	11.3	10.7	1.80	1.65	PD	36.0	34.8

The Symbol of Quality for Beef Production

Bull Evaluation EOT Report

201622 KENILWORTH #1



Tag 0078	Pen	Tattoo	HCKS 16C
----------	-----	--------	----------

Contact R. BRYAN HICKS - HICKS CHAROLAIS

HC/Breed P CHAROLAIS

Birthdate 18Jan2015 Colour

Sire Sire WESC HICKS REVOLVER 14R

Sire HICKS REMINGTON 31U

Dam HCKS 6S

Dam Sire

519-848-3907

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
%ab	26	27	18	17	11	12	47	32	55	41							
ABC Acc	-1 30	.8 PE	30 PE	15 PE	16 46	47 PE	-.12 PE	-.02 PE	.03 PE	.40 PE	N/R						
%wb	69	73	8	31	2	2	72	8	76	52							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	N/A	N/A		1000													

Tag 0080	Pen	Tattoo	HCKS 12C
----------	-----	--------	----------

Contact R. BRYAN HICKS - HICKS CHAROLAIS

HC/Breed P CHAROLAIS

Birthdate 06Jan2015 Colour

Sire Sire BRIDOR MONTY 29M

Sire WESC HICKS REVOLVER 14R

Dam JHT MS BLUEGRASS 7W

Dam Sire LT BLUEGRASS 4017P

519-848-3907

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIO\$						
%ab	27	22	3	15	1	1	24	31	55	4							
ABC Acc	-1 29	1.3 PE	19 PE	15 PE	-8 48	11 PE	-.40 52	-.05 47	.03 47	.15 63	N/R						
%wb	71	66	1	29	1	1	35	7	76	1							
CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	N/A	N/A		1005	1159	1.05	2.73	52.5	6.1	3	12.4	11.3	2.54	2.19	PD-A	33.0	30.8



Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	Adj %IMF	Adj %IMF	Scrotal
ANGUS	9	100	85	801	936	1006	1077	1160	1255	2.83	3.01	51.6	5.7	7	13.6	12.5	3.98	3.48	38.4
CHAROLAIS	17	100	91	579	870	937	990	1068	1137	2.43	2.77	52.7	6.3	4	13.4	12.4	2.80	2.48	37.7
SIMMENTAL	31	100	89	727	965	1047	1118	1198	1272	2.73	3.05	52.9	6.3	5	14.4	13.2	2.78	2.47	37.9
Group Averages	57	100	89	734	932	1007	1073	1153	1230	2.66	2.96	52.7	6.2	5	14.0	12.8	2.98	2.65	37.9

Provision and Use of Information Produced by BIO. As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.