

Bull Evaluation Centre Report

201719 POSTHAVEN FARM

(End of Test) Test Date: 28 Apr 2017 Days on Test: 112

Centre Manager: E. JOHN POST Start of Test Date: 06 Jan 2017

Phone #: 519-846-9320 End of Test Date: 28 Apr 2017

EMail: ejpost@posthavenlimousin.com Pick Up Date:

Address: 7396 18 SIDERD.,R.R. #2, ALMA, ON, NOB 1A0

Ration Statement:

Note: 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.

- 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.
- 3. If you have questions on data submission, please contact our office.

A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations

Report Features

- Objectively Compare all animals using our across breed comparisons -ABCs Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.

Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.

Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.

Example: A bull or heifer that has a percentile of 99 (99th percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80th percentile is in the top 20%, etc.

Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added
information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to
calculate the ABC and are therefore the most current evaluations in the industry.

Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes

- Genetic Evaluations the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ABC Across Breed EPD or Comparison Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- Accuracy Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a
 market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group
 for traits that you value in your operation.
- ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

Trait	CE	BW	WG	MILK	PWG	YG	FAT	REA	%IMF	SC	BIO\$
Base	0	0	+30	+15	+20	+50	0	0	0	0	+2000

Report Definitions and Legend

Herd Measurements (BIO believes in Whole Herd Recording)

CE - Calving Ease - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

BW - Birth weight (lbs) of the animal.

AWW - Adjusted Weaning Weight (Ibs) - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

WI - Weaning Index - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

SOT - Start of Test Weight (lbs)

EOT - End of Test Weight (lbs)

ADG - Average Daily Gain (Ibs/day) - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the adg.

WPDA - Weight Per Day of Age (Ibs/day) - Weight taken at weigh period divided by days of age and includes birth weight.

HH - Hip Height (inches) - Height of the animal over the hip bones at EOT.

FRAME - Frame Score - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

FAT - Backfat (mm) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

REA & AdjREA - Rib Eye Area (square inches) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

% IMF & Adj%IMF - Percent Intramus cular Fat (Marbling) - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal hald too little %IMF to measure. Adj %IMF is adjusted to 365 days.

GRADE - %IMF expressed as marbling grade (A, AA or AAA) - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

SC & AdjSC - Scrotal Circumference (cm) - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

Genetic Evaluations - Across Breed EPDS (ABCs)

CE - Calving Ease ABC - is a genetic prediction of the increase (+) or decrease (-) in percent <u>unassisted</u> calvings if the bull is mated with heifers that are an average size and have average calving ability.

BW - Birth Weight ABC (Ibs) - The effect the animal will have on the birth weight of their calves.

WG - Weaning Gain ABC (lbs) - The ability of the animal's calves to grow from birth to weaning.

MILK - Milk/ Mothering ability ABC (Ibs of calf at weaning) - The ability of a animal's daughters to provide their calves with milk and mothering ability.

PWG - Post-Weaning Gain ABC (lbs) - Indicates the ability of an animal's calves to grow from weaning to yearling.

YG - Yearling Gain ABC (lbs) - Indicates the ability of a animal's calves to grow from birth to yearling.

FAT - Backfat thickness ABC (mm) - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

REA - Rib Eye Area ABC (s quare inches) - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

% IMF - Intramus cular Fat ABC (Marbling) - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

SC - Scrotal Circumference ABC (cm) - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

Bull Evaluation EOT Report

201719 POSTHAVEN FARM



Genetic Evaluations (17 May 2017)														Y								
Tag 001	D	Pen	Tattoo	ALM 1D			CE	BW	WG		Milk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
Contact E. JOHN POST - POSTHAVEN FARM HC/Breed H 100% LIMOUSIN Birthdate 07Mar2016 Colour SireSire EBY EXTRA SPECIAL 77E			519-846-9320	%ab ABC A %wb	Acc	70 3 17 67	77 -3.0 46 71	9 26 F 22	PE		5 11 40 40	5 37 29	PE	30 30 69	44	56 .29 38 21	27 09 38 93	1: 4:	9 59	N/R		
Sire	CED/	AR PATCH PO AR PATHC PO SV POLLED E	DLL LEGEND DLL ABBY		CE	BW 75	AWW N/A	WI	SOT 1065	EOT 1413	ADG 3.19		НН 56.0	Frame 7.9		17.6	AdjREA 16.0	%lmf /	Adj%lmf 1.96	Grade PD-A	SC 39.0	AdjSC 37.1
Tag 002	2D	Pen	Tattoo	ALM 2D			CE	BW	WG	1	Milk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
Contact	E. JO P 1	00% LIMOUS	OSTHAVEN FARM IN Colour	519-846-9320	%ab ABC A	Acc	59 2 23 51	55 -1.4 52 40	4 22 3		6 I1 11	1 - 5 45	1 17 4	42	6 68 22	46	89 . 68 41 83	14 17 41 71		8 3 61	5 1688 18	
	POST	ΓHAVEN P ZA	NSIBAR		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire	-	AR PATCH P I DAR PATCH P	-		U	88	790	101	988	1273	2.70	3.14	54.0	7.0	4	19.2	17.8	1.83	1.65	PD	37.5	36.0
Tag 003	D	Pen	Tattoo	RRT 3D			CE	BW	WG	ı	Milk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
HC/Breed	Contact E. JOHN POST - POSTHAVEN FARM HC/Breed 100% LIMOUSIN Birthdate 22Jan2016 Colour			519-846-9320	%ab ABC A %wb	Acc	25 - 1 35 12	41 4 59 23	7 25 18		9 12 26 25	1 0 49 6	2 25 9	50	13 53 40	50	75 . 48 44 55	4 27 44 27			3 1421 12	
Dam					U	91	663	WI	1107	EOT 1425	ADG 2.94		НН 57.0	Frame 7.9		18.5	AdjREA 15.6	%lmf /	Adj%lmf 1.34	Grade PD	SC 37.5	AdjSC 34.0
Tag 010	D	Pen	Tattoo	RRT 10D			CE	BW	WG	ı	Milk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
Contact HC/Breed Birthdate SireSire	1 25Fe	00% LIMOUS b2016	OSTHAVEN FARM IN Colour LLED XCEPTIONAL	519-846-9320	%ab ABC A %wb		35 0 30 21	39 3 58 22	9 26 22	48	21 17 23 19	3 7 47 23	3 33 20	48	4 79 12	51	73 . 46 45 52	1 38 45 3	-1.6	1 4 63 7	4 1615 15	
	GOLI	MANOR ALI	BERT		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire			ADOW RRT 6S P GRENADIER		U	87	661		942	1276	3.07	2.98	56.0	7.8	5	19.0	16.9	.79	.67	PD	36.0	33.7
Tag 011	D	Pen	Tattoo	RRT 11D			CE	BW	WG	ı	Milk	PWG	Y	G	FAT		REA	%IMF	S	С	BIO\$	
Contact HC/Breed Birthdate SireSire	1 10Ma	00% LIMOUS r2016	OSTHAVEN FARM IN Colour LLED XCEPTIONAL	519-846-9320	%ab ABC A %wb	Acc	44 1 24 32	64 -2.0 50 52	10 27 23	41 '	27 18 15 58	1 - 4 43 3	1 22 7	42	16 50 45	47	38 . 11 41 5	14 17 41 71		9 2 61 0	1 966 2	
Sire	GOLI	MANOR ALI	BERT		CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	НН	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	SC	AdjSC
Dam DamSire	RIVE	RBANK WHIS	SPER		U	91	639		890	1165	2.50	2.81	56.3	8.0	5	16.5	15.1	1.84	1.62	PD	38.0	36.2

19Sep2017 Page: 4 of 6

Bull Evaluation EOT Report

201719 POSTHAVEN FARM



Genetic Evaluations (17 May 2017)

Tog. 040D	Don	Tottoo	DDT 40D			CE.	BW	WG		Milk	PWG	Τ,	/G	FAT		DEA	%IMF	- 6	SC	BIO\$	
Tag 013D	Pen	Tattoo	RRT 13D			CE	DVV	WG		IVIIIK	PWG	,	rG	FAI		REA	701IVIF		50	ыоф	
		STHAVEN FARM		%ab		42	49	2		19	1	'	1	15		31	10		8	1	
	100% LIMOUSIN	1	519-846-9320	ABC A	СС	1 30	-1.0 58	17	48	16 18	-7 46	10	0 47	51	49	.00 43	20	13 8	37 62	368	
Birthdate 23M	ar2016	Colour		%wb		29	32	4		45	2		2	43		1	56	4	18	1	
SireSire PC	STHAVEN POL	LED XCEPTIONAL							_					,	_						
Sire GOL	D MANOR ALB	ERT		CE	BW	AWW	WI	SOT	EC	OT ADO	3 WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	sc	AdjSC
Dam GOL	D MANOR DON	NA		U	84	590		801	108	88 2.55	2.71	54.0	7.1	5	16.3	15.2	1.58	1.44	PD	37.0	35.7
DamSire CF	SV POLLED EX	CEL 315S		0	04	330		001	100	2.50	2.71	34.0	7.1	5	10.3	13.2	1.50	1.44	10	07.0	00
To 400D	Dan	Tattas	AL MA OD			OF.	BW	WO		NA:II-	DIMO		10	ГАТ		DEA	0/1845	- 6	SC	BIO\$	
Tag 103D	Pen	Tattoo	ALM 3D			CE	BVV	WG		Milk	PWG	,	/G	FAT		REA	%IMF		SC	ыоф	
		STHAVEN FARM		%ab		30	54	41		2	4	10	0	2		87	1		7	13	
	100% LIMOUSIN		519-846-9320	ABC A	СС	0 36	-1.3 60	37	51	6 23	8 49	4	5 50	85	50	.63 45	35	ı5 9	94 63	2222	
Birthdate 29M	ar2016	Colour		%wb		17	38	73		7	27	46	6	7		77	6	4	13	37	
SireSire									_												
Sire POS	THAVEN P ZAN	ISIBAR		CE	BW	AWW	WI	SOT	EC	OT ADO	G WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%lmf	Grade	sc	AdjSC
	AR PATCH POL	LED LUCIE		U	86	824		1019	13	75 3.17	3.48	56.0	8.1	3	18.5	17.4	1.34	1.24	PD	38.0	36.9
DamSire EN	IAIL 55A					02.					00	00.0	0		10.0						
Tag 324D	Pen	Tattoo	JAS 324D			CE	BW	WG		Milk	PWG	\ \ \	/G	FAT		REA	%IMF	: 5	SC	BIO\$	
Contact TON	1 STULL			%ab							16			45		90	3	1	8		
HC/Breed	100% LIMOUSIN	J	519-291-7283	ABC A	CC						20 38	,		11	12	.69 37	30 3		34 58	N/R	
Birthdate 02M	ar2016	Colour		%wb							73	'		84	43	85	16	-	34	14/13	
SireSire RIC	CHMOND TROO	PER SRD 83T		76WD							73			04		65	10		94		
	R XTENDED REA			CE	BW	AWW	WI	SOT	EC	OT ADO	WPDA	НН	Frame	Fat	REA	AdjREA	%lmf	Adj%lmf	Grade	sc	AdjSC
Dam WIL	LOWCREST XEI	MPTION		U	82	N/A		990	13	51 3.44	3.20	54.0	6.8	6	19.8	17.7	1.01	.87	PD	40.0	37.9
DamSire RIC	CHMOND TROO	PER SRD 83T		0	02	IN/A		330	13	31 3.44	3.20	54.0	0.0	0	19.6	17.7	1.01	.07	Г	40.0	00

201719 POSTHAVEN FARM

 $\bullet \bullet \bullet \bullet$

Genetic Evaluations (17 May 2017)

Breed Summary Averages

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
LIMOUSIN	8	100	86	695	975	1062	1146	1245	1296	2.94	3.10	55.4	7.6	5	18.2	16.5	1.54	1.35	37.9
Group Averages	8	100	86	695	975	1062	1146	1245	1296	2.94	3.10	55.4	7.6	5	18.2	16.5	1.54	1.35	37.9

Provision and Use of Information Produced by 810. As port of the terms and conditions of Beef Improvement Opportunities (810) Beef Evaluation Services, it is understood that information provided by 810 including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedignee used in calculations is provided by 100 by 100

19Sep2017 Page: 6 of 6