




Maple Hill Auction Facility  
Hanover, ON

Saturday, March 28, 2020 @ 4 pm

PIC Sale Catalogue and other information go to our Facebook  
page:

<https://www.facebook.com/ThePICBullSale/>

**See next page for the EOT Report**



BIO  
294 Mill St E Unit 209  
Elora, ON N0B 1S0  
p: 855.246.2333  
f: 519.767.2502  
www.bridgingintelligence.com

## Bull Evaluation Centre Report

**202015 FIRST LINE ANGUS**

**( End of Test )**

**Test Date: 22 Feb 2020 Days on Test:119**

**Centre Manager: BRIAN WHITWELL**

**Start of Test Date: 26 Oct 2019**

**Phone #: 905-768-5148**

**End of Test Date: 22 Feb 2020**

**EMail: whitbk@xplornet.com**

**Pick Up Date:**

**Address: 560 1st Line, R.R.#3 , HAGERSVILLE , ON , N0A 1H0**

**Ration Statement:**

- Note:**
- 1. Check the information on your BULL(s) to ensure the pedigree, birth date, tattoo, and weaning data is complete and accurate.**
  - 2. For best results clients need to submit complete herd data with complete weaning weights on all their calves to bioTrack, our Herd Evaluation Service. Calves with incomplete herd data will not receive genetic evaluations nor BIO Economic Indexes. If no data is submitted to BIO, then the calves in the bull evaluation centre will be regarded as UNOFFICIAL. Unofficial calves will not receive genetic evaluations, BIO Economic Indexes nor certificates and may not eligible for awards that are offered from time to time.**
  - 3. If you have questions on data submission, please contact our office.**

## ***A Guide to BIO's Bull and Heifer Evaluation Reports and BIO's Genetic Evaluations***

### **Report Features**

- ♦ Objectively Compare all animals using our across breed comparisons -ABCs - Allows you to compare all the bulls in the group for their genetics, regardless of their breed. Bulls are listed on the report by the tag number.
- ♦ Quickly know where an animal ranks for a trait using the percentile ranking. Our percentile rankings range from 1 (lowest) to 99 (highest) tells you how an animal ranks for the trait you're looking at. All animals are ranked for each trait! The rankings compare all animals evaluated over the past 3 years for that trait.
  - Across breed Percentiles (%AB) allow you to compare purebred, crossbred, and composite animals across breeds.
  - Within breed Percentiles (%WB) allow you to compare purebred animals within its breed.
  - Example: A bull or heifer that has a percentile of 99 (99<sup>th</sup> percentile) is in the top 1% of all animals evaluated for that trait or index; a bull in the 80<sup>th</sup> percentile is in the top 20%, etc.
- ♦ Most current genetic evaluations - The Herd Recording traits (CE, BW, WG, MILK) are updated on the 84-day and End-of-test reports, to reflect the added information of weights taken on test. The End-of-test evaluations use the animal's on-test performance and all related performance data in the database to calculate the ABC and are therefore the most current evaluations in the industry.

### **Features of BIO's Genetic Evaluations (ABCs) and Economic Indexes**

- ♦ Genetic Evaluations - the most accurate method to express genetic ability of an animal. They are adjusted for environment and can be used to compare animals across herds and evaluation centres.
- ♦ ABC - Across Breed EPD or Comparison - Estimate of how future progeny of an animal are expected to perform in each of the traits. Comparisons can be made within breeds and across breeds. For example, a bull or heifer with a Yearling Gain ABC of +85 will produce progeny that are on average 50 pounds heavier than progeny from a bull with a Yearling Gain ABC of +35.
- ♦ Accuracy - Measure of the amount of information used to calculate the ABC. Ranges from 1 (least) to 99 (most). Evaluations based on pedigree information only are noted as 'PE' (pedigree estimate).
- ♦ BIO\$: This is an index that considers several traits in determining better bulls when mated to average cows and is aiming at efficient lean meat production for a market focused on AA carcasses between 775 and 900 pounds. Use the BIO\$ index to identify top prospect bulls and then look at specific ABC's within that group for traits that you value in your operation.
- ♦ ABCs (Across Breed EPDs) for all animals evaluated by BIO are on a fixed base. The base is a multi-breed average of animals born 1995-1998:

<b>Trait</b>	<b>CE</b>	<b>BW</b>	<b>WG</b>	<b>MILK</b>	<b>PWG</b>	<b>YG</b>	<b>FAT</b>	<b>REA</b>	<b>%IMF</b>	<b>SC</b>	<b>BIO\$</b>
<b>Base</b>	0	0	+30	+15	+20	+50	0	0	0	0	+2000

## Report Definitions and Legend

### Herd Measurements (BIO believes in Whole Herd Recording)

**CE - Calving Ease** - The ease or difficulty with which the animal was born. The categories are unassisted (U), easy pull (E), hard pull (H), surgical (S) or malpresentation (M).

**BW - Birth weight (lbs)** of the animal.

**AWW - Adjusted Weaning Weight (lbs)** - The on-farm weaning weight of the animal adjusted to 200 days of age. Adjustments are made for age of dam and sex of calf.

**WI - Weaning Index** - Within-herd index based on adjusted weaning weight. Use to compare calves in the same pre-weaning management group. A minimum of five calves in a management group is required to receive an index. ET indicates an embryo transplant calf.

### Test Evaluation Measurements (based on the animal's performance in the evaluation centre)

**SOT - Start of Test Weight (lbs)**

**EOT - End of Test Weight (lbs)**

**ADG - Average Daily Gain (lbs/day)** - The regressed average daily gain during the animal evaluation period. All monthly weighings are used in determining the avg.

**WPDA - Weight Per Day of Age (lbs/day)** - Weight taken at weigh period divided by days of age and includes birth weight.

**HH - Hip Height (inches)** - Height of the animal over the hip bones at EOT.

**FRAME - Frame Score** - A 1 to 10 scale calculated using hip height and age, according to Beef Improvement Federation guidelines.

**FAT - Backfat (mm)** - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test.

**REA & AdjREA - Rib Eye Area (square inches)** - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of the test. The AdjREA is adjusted to 365 days of age.

**%IMF & Adj%IMF - Percent Intramuscular Fat (Marbling)** - Measured ultrasonically between the 12th and 13th ribs (grading site) at the end of test. NR indicates the animal had too little %IMF to measure. Adj %IMF is adjusted to 365 days.

**GRADE - %IMF expressed as marbling grade (A, AA or AAA)** - PD indicates practically devoid, which is less than 1.86 %IMF. Animals near the border of a category are shown as a combination of the two categories (i.e. A-AA).

**SC & AdjSC - Scrotal Circumference (cm)** - End of test measure of scrotal circumference. Indication of the semen producing ability of the bull. 'ABN' indicates abnormal testicles (size, shape, injury) and no measurement is taken. AdjSC is adjusted Scrotal circumference and is adjusted to one year of age.

### Genetic Evaluations - Across Breed EPDS (ABCs)

**CE - Calving Ease ABC** - is a genetic prediction of the increase (+) or decrease (-) in percent unassisted calvings if the bull is mated with heifers that are an average size and have average calving ability.

**BW - Birth Weight ABC ( lbs)** - The effect the animal will have on the birth weight of their calves.

**WG - Weaning Gain ABC (lbs)** - The ability of the animal's calves to grow from birth to weaning.

**MILK - Milk/ Mothering ability ABC (lbs of calf at weaning)** - The ability of a animal's daughters to provide their calves with milk and mothering ability.

**PWG - Post-Weaning Gain ABC (lbs)** - Indicates the ability of an animal's calves to grow from weaning to yearling.

**YG - Yearling Gain ABC (lbs)** - Indicates the ability of a animal's calves to grow from birth to yearling.

**FAT - Backfat thickness ABC (mm)** - The ability of a animal's progeny to deposit backfat (finishing ability), adjusted to a common age.

**REA - Rib Eye Area ABC (square inches)** - Predictor of the differences in progeny ribeye area (muscling), adjusted to a common age.

**%IMF - Intramuscular Fat ABC (Marbling)** - The ability of a animal's progeny to deposit marbling fat, adjusted to a common age.

**SC - Scrotal Circumference ABC (cm)** - Indicates the ability of a bull to transmit scrotal size to male progeny. It is a partial indicator of daughter's age at puberty.

# Bull Evaluation EOT Report

## 202015 FIRST LINE ANGUS



Genetic Evaluations (11 Mar 2020)

Tag **002G** Pen **1** Tattoc **FLA 2G**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS** 905-768-5148  
 Birthdate **01Jan2019** Colour **Black**  
 SireSire **S A V RESOURCE 1441**  
 Sire **MAR RESPOND 1734**  
 Dam **BROOKMORE KARAMA 12D**  
 DamSire **JINDRA DOUBLE VISION**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS
%ab	84	86	95	63	84	93	81	21	69	78	61
ABC Acc	5 <sup>24</sup>	-4.2 <sup>51</sup>	59 <sup>41</sup>	26 <sup>15</sup>	42 <sup>45</sup>	101 <sup>43</sup>	1.04 <sup>47</sup>	-20 <sup>41</sup>	.30 <sup>41</sup>	1.01 <sup>61</sup>	3693
%wb	55	63	94	60	66	88	33	77	3	77	60

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	90	797	109		1033	1403	2.95	3.36	52.5	6.1	7	13.9	12.7	2.35	2.06	PD-A	40.0	38.1

Tag **004G** Pen **1** Tattoc **FLA 4G**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS** 905-768-5148  
 Birthdate **06Jan2019** Twin Colour **BLACK**  
 SireSire **GAR-EGL PROTEGE**  
 Sire **PA FORTITUDE 2500**  
 Dam **FIRST LINE ELBA 18E**  
 DamSire **R B TOUR OF DUTY 177**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS
%ab	66	51	93	56	61	86	62	2	72	80	16
ABC Acc	3 <sup>27</sup>	-1.3 <sup>54</sup>	57 <sup>44</sup>	25 <sup>17</sup>	35 <sup>46</sup>	92 <sup>45</sup>	.41 <sup>48</sup>	-.59 <sup>43</sup>	.35 <sup>43</sup>	1.04 <sup>62</sup>	2450
%wb	24	15	93	52	35	76	1	9	7	78	15

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	90	825	113		895	1221	2.58	2.96	51.5	5.7	4	12.0	11.1	1.98	1.75	PD-A	40.0	38.3

Tag **007G** Pen **1** Tattoc **FLA 7G**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS** 905-768-5148  
 Birthdate **08Jan2019** Colour **Black**  
 SireSire **WERNER WAR PARTY 2417**  
 Sire **R B TOUR OF DUTY 177**  
 Dam **FIRST LINE ARIAT MAR**  
 DamSire **S A V PIONEER 7301**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS
%ab	88	87	22	65	88	61	71	23	80	55	53
ABC Acc	5 <sup>36</sup>	-4.3 <sup>60</sup>	33 <sup>51</sup>	26 <sup>26</sup>	44 <sup>52</sup>	77 <sup>52</sup>	.77 <sup>53</sup>	-.15 <sup>48</sup>	.45 <sup>48</sup>	.56 <sup>65</sup>	3501
%wb	65	65	16	63	73	45	8	83	32	46	52

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	90	680	93		952	1316	2.97	3.21	51.5	5.7	5	14.2	13.1	2.75	2.45	PD-A	39.0	37.4

Tag **008G** Pen **1** Tattoc **FLA 8G**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS** 905-768-5148  
 Birthdate **09Jan2019** Colour **Black**  
 SireSire **FREYS OPPORTUNITY 148A**  
 Sire **PEAK DOT OUTLOOK 271C**  
 Dam **FLA 18D**  
 DamSire **PA FORTITUDE 2500**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS
%ab	92	93	67	21	91	85	93	34	93	31	77
ABC Acc	6 <sup>22</sup>	-5.3 <sup>52</sup>	45 <sup>42</sup>	18 <sup>12</sup>	46 <sup>42</sup>	91 <sup>42</sup>	1.43 <sup>45</sup>	.01 <sup>39</sup>	.57 <sup>39</sup>	.09 <sup>59</sup>	4125
%wb	77	80	63	12	78	75	77	95	76	13	78

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	85	700	95		924	1318	3.25	3.22	51.0	5.5	9	14.9	13.8	3.64	3.25	A-AA	37.0	35.4

Tag **010G** Pen **1** Tattoc **FLA 10G**  
 Contact **BRIAN A. WHITWELL - FIRST LINE ANGUS**  
 HC/Breed **ANGUS** 905-768-5148  
 Birthdate **11Jan2019** Colour **Black**  
 SireSire **WERNER WAR PARTY 2417**  
 Sire **R B TOUR OF DUTY 177**  
 Dam **FLA 25D**  
 DamSire **VISION UNANIMOUS 1418**

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS
%ab	45	33	57	61	89	80	70	9	82	29	28
ABC Acc	1 <sup>34</sup>	.0 <sup>58</sup>	42 <sup>49</sup>	26 <sup>18</sup>	45 <sup>48</sup>	87 <sup>49</sup>	.71 <sup>50</sup>	-.37 <sup>44</sup>	.46 <sup>44</sup>	.02 <sup>63</sup>	2904
%wb	10	6	53	59	74	67	6	35	39	10	27

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	109	756	103		1001	1390	3.01	3.42	54.0	7.0	5	13.4	12.5	3.18	2.85	A	36.0	34.5

# Bull Evaluation EOT Report

## 202015 FIRST LINE ANGUS



Genetic Evaluations (11 Mar 2020)

**Tag 013G** Pen 1 Tattoc **FLA 13G**  
 Contact BRIAN A. WHITWELL - FIRST LINE ANGUS  
 HC/Breed ANGUS 905-768-5148  
 Birthdate 17Jan2019 Colour Black  
 SireSire S A V RESOURCE 1441  
 Sire MAR RESPOND 1734  
 Dam UPPER GLEN GRAND JUNE 4T  
 DamSire B C MATRIX 4132

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS	
%ab	86	92	93	33	94	95	72	23	80	28	75	
ABC Acc	5 26	-5.1 53	57 43	20 22	48 48	105 46	.79 49	-.16 44	.44 44	.02 63	4040	
%wb	59	78	93	24	85	92	9	82	30	10	74	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	89	741	101		947	1326	3.05	3.31	52.0	6.1	6	13.4	12.6	3.34	3.04	A	37.0	35.7

**Tag 014G** Pen 1 Tattoc **FLA 14G**  
 Contact BRIAN A. WHITWELL - FIRST LINE ANGUS  
 HC/Breed ANGUS 905-768-5148  
 Birthdate 22Jan2019 Colour BLACK  
 SireSire SITZ UPWARD 307R  
 Sire EXAR UPSHOT 0562B  
 Dam FIRST LINE ARIAT MAR  
 DamSire S A V PIONEER 7301

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS	
%ab	91	92	83	22	99	97	99	25	99	37	92	
ABC Acc	6 34	-5.1 58	50 49	18 24	60 51	110 50	2.13 54	-.12 49	.87 49	.21 65	4767	
%wb	74	78	80	13	96	94	98	87	99	20	93	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	92	N/A	ET		942	1346	3.28	3.40	53.0	6.6	11	12.2	11.6	5.16	4.76	AA-AAA	38.0	36.9

**Tag 015G** Pen 1 Tattoc **FLA 15G**  
 Contact BRIAN A. WHITWELL - FIRST LINE ANGUS  
 HC/Breed ANGUS 905-768-5148  
 Birthdate 23Jan2019 Colour Black  
 SireSire S A V RESOURCE 1441  
 Sire MAR RESPOND 1734  
 Dam FIRST LINE MS MIDDLEBROOK 30A  
 DamSire JUST-ROCK SOLID 621P

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS	
%ab	89	93	38	74	43	41	81	5	73	58	17	
ABC Acc	5 28	-5.3 57	38 46	28 23	30 48	68 47	1.06 50	-.45 45	.37 45	.61 63	2510	
%wb	68	80	33	75	19	23	35	21	10	49	16	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	86	676	92		874	1194	2.53	3.02	51.0	5.6	6	12.4	11.8	2.79	2.58	PD-A	39.0	37.9

**Tag 016G** Pen 1 Tattoc **FLA 16G**  
 Contact BRIAN A. WHITWELL - FIRST LINE ANGUS  
 HC/Breed ANGUS 905-768-5148  
 Birthdate 27Jan2019 Colour Black  
 SireSire MOHNEN HEARTRATE 1751  
 Sire MOHNEN PULSE 533  
 Dam MAR MAC SARAH 127E  
 DamSire MAR MAC TIGER 170A

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS	
%ab	91	89	95	80	96	97	97	4	70	83	60	
ABC Acc	6 25	-4.6 51	60 42	29 10	53 45	112 44	1.74 43	-.53 37	.32 37	1.12 60	3670	
%wb	72	70	95	81	91	95	92	13	5	84	59	


	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	86	785	107		928	1341	3.42	3.43	51.0	5.7	10	11.6	11.1	2.23	2.08	PD-A	40.0	39.1

**Tag 1901** Pen 1 Tattoc **HLKF 1G**  
 Contact BRIAN A. WHITWELL - FIRST LINE ANGUS  
 HC/Breed ANGUS 905-768-5148  
 Birthdate 10Jan2019 Colour Black  
 SireSire GAR-EGL PROTEGE  
 Sire PA FORTITUDE 2500  
 Dam TANNAS ALETA 38E  
 DamSire S A V TEN SPEED 3022

	CE	BW	WG	Milk	PWG	YG	FAT	REA	%IMF	SC	BIOS	
%ab	99	99	59	15	89	81	80	1	98	40	44	
ABC Acc	9 24	-8.3 52	43 42	16 15	45 46	88 44	1.04 48	-.66 43	.70 43	.27 62	3290	
%wb	97	98	55	7	75	69	33	4	95	24	44	

	CE	BW	AWW	WI	SOT	EOT	ADG	WPDA	HH	Frame	Fat	REA	AdjREA	%Imf	Adj%Imf	Grade	SC	AdjSC
U	70	643	88		826	1227	3.26	3.01	52.0	6.0	8	10.9	10.2	4.26	3.81	AA	37.0	35.4



**Breed Summary Averages**

Breed	#	% U	BWT	AWW	SOT	28D	56D	84D	EOT	ADG	WPDA	Hip Height	Frame Score	Back Fat	REA	Adj REA	%IMF	Adj %IMF	Scrotal
ANGUS	10	100	89	734	932	1025	1076	1178	1308	3.03	3.23	52.0	6.0	7	12.9	12.1	3.17	2.86	38.3
Group Averages	10	100	89	734	932	1025	1076	1178	1308	3.03	3.23	52.0	6.0	7	12.9	12.1	3.17	2.86	38.3

**Provision and Use of Information Produced by BIO** As part of the terms and conditions of Beef Improvement Ontario (BIO) Beef Evaluation Services, it is understood that information provided by BIO including, but not limited to, genetic and carcass evaluations are produced using the very best knowledge available and are pursuant to generally accepted industry standards. The raw data and pedigree used in calculations is provided by the client. The intent of the information provided by BIO is for comparative purposes only for both the animal consignor and buyer. This information is provided for the purpose of general guidance only to beef producers. The purchaser and/or user of this information agrees to hold Beef Improvement Ontario harmless for any losses or damages that may be incurred as a result of receipt of and/or reliance upon this general comparative information. This clause shall be a complete defense to any claim brought by the purchaser and/or user in relation to such services.